

1

2

3

4

5

6

7

8

9

PANEL FASTENERS

10

11

12

13

14

PANEL FASTENERS

	QUICK BLOCK (SET)	902		FIXATION BLOCK 25, GRAY	920
	UNIBLOCK 14, BLACK	903		VARIO BLOCK 18 CS	921
	UNIBLOCK 14, GRAY	904		VARIO BLOCK 25 CS	922
	UNIBLOCK 18, BLACK	905		CLIP BLOCK 13, BLACK	923
	UNIBLOCK 18, GRAY	906		CLIP BLOCK 13, GRAY	924
	UNIBLOCK 18 CS, BLACK	907		CLIP BLOCK 14, BLACK	925
	UNIBLOCK 18 CS, GRAY	908		CLIP BLOCK 14, GRAY	926
	UNIBLOCK 25, BLACK	909		CLIP BLOCK 14 SL	927
	UNIBLOCK 25, GRAY	910		TOOL FOR CLIP BLOCK SL	928
	UNIBLOCK 25 CS, BLACK	911		VARIO CLAMPING BLOCK 18	929
	UNIBLOCK 25 CS, GRAY	912		VARIO CLAMPING BLOCK 25	930
	UNIBLOCK 25, TRANSPARENT COLORLESS	913		UNIBLOCK ZN 40 CS	931
	UNIBLOCK 26 CS (SET)	914		ANGLE BLOCK 40/45 (SET)	932
	UNIBLOCK 25 CLIP	915		STEEL CONNECTION ANGLE 45 / 60	933
	UNIBLOCK 25 EH	916		COVER AND REDUCTION PROFILE I SLOT 5	934
	FIXATION BLOCK 18, BLACK	917		COVER AND REDUCTION PROFILE B SLOT 6	935
	FIXATION BLOCK 18, GRAY	918		COVER AND REDUCTION PROFILE I SLOT 6	936
	FIXATION BLOCK 25, BLACK	919		COVER AND REDUCTION PROFILE I SLOT 8	937


	COVER AND REDUCTION PROFILE B SLOT 8	938		CLAMPING SPRING FOR PROTECTIVE FENCE PROFILES 30 X 30 WG	956
	COVER AND REDUCTION PROFILE M45 SLOT 8	939		GLASS PANEL CLAMP (SET)	957
	REDUCTION PROFILE I SLOT 8 / 4 - 6 MM	940		CORNER CONNECTOR FOR GLASS PANEL CLAMP (SET)	958
	HOLDER PROFILE SLOT 8	941		PANEL HOLDER	959
	GLAZING STRIP FOR INSERT PROFILE I AL	942			
	COVER AND REDUCTION PROFILE B SLOT 10 FLAT	943			
	COVER AND REDUCTION PROFILE B SLOT 10 DEEP	944			
	REDUCTION PROFILE B SLOT 10 / 6 MM	945			
	HOLDER PROFILE SLOT 10	946			
	INSERT PROFILE AL	947			
	PLUG-IN PROFIL 1.9 / 3 - 2	948			
	PLUG-IN PROFIL 3.0 / 4 - 2	949			
	PLUG-IN PROFIL 4.7 / 4 - 2	950			
	PLUG-IN PROFIL 3.0 / 4 - 5	951			
	PLUG-IN PROFIL 4.2 / 6 - 4	952			
	PLUG-IN PROFIL 5.0 / 6 - 4	953			
	PLUG-IN PROFIL 6.9 / 6 - 4	954			
	CLAMPING SPRING FOR CLAMP PROFIL 18 X 32	955			

QUICK BLOCK (SET)

MODEL	Plastic PA, Slot 8, 10
DESCRIPTION	To attach panels quickly 1- 12 mm to aluminum profiles
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request





Version	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
Lockpin M	12.0	4.4 (4.5)	8	11.0	I	094700
	8.5	5.7 (6.0)	10	12	B	094701
	7.0	1.9 (2.2)	8	11.0	B	094707








UNIBLOCK 14, BLACK

MODEL	Plastic PA, Slot 5
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!




Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		M4	4.0	1.6 (1.8)	5	2.6	I	094411M4
Spacer	*1.0					0.5		094901
	*2.0					0.8		094902
	3.0					1.3		094903
	4.0					1.8		094904




UNIBLOCK 14, GRAY

MODEL	Plastic PA, Slot 5
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray ≈ RAL 7042
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		M4	4.0	1.6 [1.8]	5	2.6	I	094411M4S03
Spacer	*1.0					1.0		094901S03
	*2.0					1.2		094902S03
	3.0					1.5		094903S03
	4.0					1.8		094904S03




UNIBLOCK 18, BLACK

MODEL	Plastic PA, slot 6, 8, 10, 12
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!




Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		M4	7.0	2.7 (3.0)	6	8.0	I	094100M4
		M5	7.0	2.7 (3.0)	6	8.1	I	094100M5
		M6	7.0	2.7 (3.0)	6	8.2	I	094100M6
		M4	7.0	1.9 (2.2)	8	8.3	B	094002M4
		M5	7.0	1.9 (2.2)	8	8.4	B	094002M5
		M6	7.0	1.9 (2.2)	8	8.6	B	094002M6
Spacer CS	*2.0					0.8		094102CS
	3.0					1.3		094103CS
	5.0					1.9		094105CS




UNIBLOCK 18, GRAY

MODEL	Plastic PA, slot 6, 8, 10, 12
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	Color	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	Gray ≈ RAL 7042		M4	7.0	2.7 [3.0]	6	8.0	I	094100M4S01
	Gray ≈ RAL 7042		M5	7.0	2.7 [3.0]	6	8.1	I	094100M5S01
	Gray ≈ RAL 7042		M6	7.0	2.7 [3.0]	6	8.2	I	094100M6S02
	Gray ≈ RAL 7004		M4	7.0	1.9 [2.2]	8	8.3	B	094002M4S01
	Gray ≈ RAL 7004		M5	7.0	1.9 [2.2]	8	8.4	B	094002M5S02
	Gray ≈ RAL 7004		M6	7.0	1.9 [2.2]	8	8.6	B	094002M6S06
Spacer CS	Gray ≈ RAL 7042	*2.0					0.8		094102CSS03
	Gray ≈ RAL 7042	3.0					1.0		094103CSS04
	Gray ≈ RAL 7042	5.0					1.9		094105CSS03
	Gray ≈ RAL 7004	*2.0					0.8		094102CSS10
	Gray ≈ RAL 7004	3.0					1.0		094103CSS12
	Gray ≈ RAL 7004	5.0					1.9		094105CSS12




UNIBLOCK 18 CS, BLACK

MODEL	With screw retainer
DESCRIPTION	To attach panels safely to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
Spacer CS		M6	7.0	2.7 (3.0)	6	9.0	I	094100CSM6
		M6	7.0	1.9 (2.2)	8	8.5	B	094002CSM6
	2.0					0.8		094102CS
	3.0					1.3		094103CS
	5.0					1.9		094105CS




UNIBLOCK 18 CS, GRAY

MODEL	With screw retainer
DESCRIPTION	To attach panels safely to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	Color	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
Spacer CS	Gray ≈ RAL 7042		M6	7.0	2.7 (3.0)	6	9.0	I	094100CSM6S01
	Gray ≈ RAL 7004		M6	7.0	1.9 (2.2)	8	8.5	B	094002CSM6S01
	Gray ≈ RAL 7042	*2.0					0.8		094102CSS03
	Gray ≈ RAL 7042	3.0					1.0		094103CSS04
	Gray ≈ RAL 7042	5.0					1.9		094105CSS03
	Gray ≈ RAL 7004	*2.0					0.8		094102CSS10
	Gray ≈ RAL 7004	3.0					1.0		094103CSS12
	Gray ≈ RAL 7004	5.0					1.9		094105CSS12



UNIBLOCK 25, BLACK

MODEL	Plastic PA, Slot 8, 10, 12
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	nn	M4	7.9	4.35 [4.5]	8	9.8	I	094003M4
	nn	M5	7.9	4.35 [4.5]	8	9.7	I	094003M5
	nn	M6	7.9	4.35 [4.5]	8	9.6	I	094003M6
	nn	M4	12.0	4.4 [4.5]	8	9.8	I	094020M4
	nn	M5	12.0	4.4 [4.5]	8	9.7	I	094020M5
	nn	M6	12.0	4.4 [4.5]	8	9.6	I	094020M6
	nn	M4	14.0	4.6 [4.5]	8	10.0	I	094080M4
	nn	M5	14.0	4.6 [4.5]	8	9.9	I	094080M5
	nn	M6	14.0	4.6 [4.5]	8	9.8	I	094080M6
	nn	M4	8.5	5.7 [6.0]	10	10.6	B	094008M4
	nn	M5	8.5	5.7 [6.0]	10	10.5	B	094008M5
	nn	M6	8.5	5.7 [6.0]	10	10.4	B	094008M6
	nn	M4	9.5	5.6 [6.0]	10	10.6	B	094004M4
	nn	M5	9.5	5.6 [6.0]	10	10.5	B	094004M5
	nn	M6	9.5	5.6 [6.0]	10	10.4	B	094004M6
	nn	M4	14.0	6.0 [6.0]	10	10.4	B	094005M4
	nn	M5	14.0	6.0 [6.0]	10	10.3	B	094005M5
	nn	M6	14.0	6.0 [6.0]	10	10.2	B	094005M6
	*2.0					0.8		094102CS
	3.0					1.3		094103CS
	5.0					1.9		094105CS

UNIBLOCK 25, GRAY

MODEL	Plastic PA, Slot 8, 10, 12
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	Color	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	Gray ≈ RAL 7042		M4	8.0	4.35 (4.5)	8	9.8	I	094003M4S01
	Gray ≈ RAL 7042		M5	8.0	4.35 (4.5)	8	9.7	I	094003M5S01
	Gray ≈ RAL 7042		M6	8.0	4.35 (4.5)	8	9.6	I	094003M6S01
	Gray ≈ RAL 7042		M4	12.0	4.4 (4.5)	8	9.8	I	094020M4S01
	Gray ≈ RAL 7042		M5	12.0	4.4 (4.5)	8	9.7	I	094020M5S01
	Gray ≈ RAL 7042		M6	12.0	4.4 (4.5)	8	9.6	I	094020M6S04
	Gray ≈ RAL 7042		M4	14.0	4.6 (4.5)	8	10.0	I	094080M4S01
	Gray ≈ RAL 7042		M5	14.0	4.6 (4.5)	8	9.9	I	094080M5S01
	Gray ≈ RAL 7042		M6	14.0	4.6 (4.5)	8	9.8	I	094080M6S01
	Gray ≈ RAL 7004		M4	8.5	5.7 (6.0)	10	10.6	B	094008M4S01
	Gray ≈ RAL 7004		M5	8.5	5.7 (6.0)	10	10.5	B	094008M5S01
	Gray ≈ RAL 7004		M6	8.5	5.7 (6.0)	10	10.4	B	094008M6S03
	Gray ≈ RAL 7004		M4	9.5	5.6 (6.0)	10	10.6	B	094004M4S01
	Gray ≈ RAL 7004		M5	9.5	5.6 (6.0)	10	10.5	B	094004M5S01
	Gray ≈ RAL 7004		M6	9.5	5.6 (6.0)	10	10.4	B	094004M6S02
	Gray ≈ RAL 7004		M4	14.0	6.0 (6.0)	10	10.4	B	094005M4S01
	Gray ≈ RAL 7004		M5	14.0	6.0 (6.0)	10	10.3	B	094005M5S01
	Gray ≈ RAL 7004		M6	14.0	6.0 (6.0)	10	10.2	B	094005M6S06
Spacer CS	Gray ≈ RAL 7042	*2.0					0.8		094102CSS03
	Gray ≈ RAL 7042	3.0					1.0		094103CSS04
	Gray ≈ RAL 7042	5.0					1.9		094105CSS03
	Gray ≈ RAL 7004	*2.0					0.8		094102CSS10
	Gray ≈ RAL 7004	3.0					1.0		094103CSS12
	Gray ≈ RAL 7004	5.0					1.9		094105CSS12

UNIBLOCK 25 CS, BLACK


MODEL	With screw retainer
DESCRIPTION	To attach panels safely to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	M6	7.9	4.35 (4.5)	8	10.0	I	094003CSM6
	M6	12.0	4.4 (4.5)	8	10.0	I	094020CSM6
	M6	14.0	4.6 (4.5)	8	11.0	I	094080CSM6
	M6	9.5	5.6 (6.0)	10	12	B	094004CSM6
	M6	8.5	5.7 (6.0)	10	11.5	B	094008CSM6
	M6	14.0	6.0 (6.0)	10	10.0	B	094005CSM6
					0.8		094102CS
					1.3		094103CS
					1.9		094105CS

UNIBLOCK 25 CS, GRAY

MODEL	With screw retainer
DESCRIPTION	To attach panels safely to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!




Version	Color	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	Gray ≈ RAL 7042		M6	8.0	4.4 [4.5]	8	10.0	I	094003CSM6S01
	Gray ≈ RAL 7042		M6	12.0	4.4 [4.5]	8	10.0	I	094020CSM6S02
	Gray ≈ RAL 7042		M6	14.0	4.6 [4.5]	8	11.0	I	094080CSM6S01
	Gray ≈ RAL 7004		M6	9.5	5.6 [6.0]	10	12	B	094004CSM6S01
	Gray ≈ RAL 7004		M6	8.5	5.7 [6.0]	10	11.5	B	094008CSM6S01
	Gray ≈ RAL 7004		M6	14.0	6.0 [6.0]	10	10.0	B	094005CSM6S02
Spacer CS	Gray ≈ RAL 7042	*2.0					0.8		094102CSS03
	Gray ≈ RAL 7042	3.0					1.0		094103CSS04
	Gray ≈ RAL 7042	5.0					1.9		094105CSS03
	Gray ≈ RAL 7004	*2.0					0.8		094102CSS10
	Gray ≈ RAL 7004	3.0					1.0		094103CSS12
	Gray ≈ RAL 7004	5.0					1.9		094105CSS12

UNIBLOCK 25, TRANSPARENT COLORLESS

MODEL	Plastic PC, slot 8, 10
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PC Nut: Zinc plated steel
COLOR	Transparent colorless
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer on request
TIP	* No further spacers can be added!






Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		M6	7.9	4.35 (4.5)	8	9.6	I	094003GM6
		M6	12.0	4.4 (4.5)	8	9.6	I	094020GM6
		M6	14.0	6.0 (6.0)	10	10.2	B	094005GM6
Spacer CS	*2.0					0.7		094102CSG
	3.0					1.2		094103CSG
	5.0					2.0		094105CSG



UNIBLOCK 26 CS (SET)


MODEL	With screw retainer
DESCRIPTION	To attach panels with a thickness of 2 - 8 mm safely to aluminum profiles; with screw retainer to comply withMachinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request

					
A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
12.0	4.4 (4.5)	8	20.0	I	094620CSS02
14.0	6.3 (6.0)	10	21.0	B	094605CSS02



UNIBLOCK 25 CLIP


MODEL	Plastic PA, slot 8
DESCRIPTION	To attach panels simply to aluminum profiles; the clip feature makes it possible to pre-mount the block to the panel
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized clips, other colors on request
TIP	* No further spacers can be added!




Version	D [mm]	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		M6	12.0	4.4 [4.5]	8	9.0	I	094020CLIPM6
Spacer CS	*2.0					0.8		094102CS
	3.0					1.3		094103CS
	5.0					1.9		094105CS

UNIBLOCK 25 EH

MODEL	Plastic PA
DESCRIPTION	To join panels and aluminum profiles of various dimensions
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	ESD electrostatical discharging, other sizes, other colors on request
TIP	* No further spacers can be added!






D [mm]	Thread	Weight [g]	Part #
	M4	10.0	094010M4
	M5	10.0	094010M5
	M6	10.0	094010M6
nn	UNC 1/4-20	10.0	094010U1/4
*2.0		0.8	094102CS
3.0		1.3	094103CS
5.0		1.9	094105CS



FIXATION BLOCK 18, BLACK


MODEL	Plastic PA
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* A1 size with spacer!

						
Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
M5	6.0 / 9.0* / 12.0 / 15.0*	2.7 (3.0)	6	5.0	I	094501M5




FIXATION BLOCK 18, GRAY

MODEL	Plastic PA
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray ≈ RAL 7042
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* A1 size with spacer!




Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
M5	6.0 / 9.0* / 12.0 / 15.0*	2.7 (3.0)	6	5.0	I	094501M5S01



FIXATION BLOCK 25, BLACK

MODEL	Plastic PA
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Black
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* A1 size with spacer!

							
Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #	
M6	5.0 / 10.0* / 15.0 / 20.0*	4.35 (4.5)	8	13.0	I	094500M6	




FIXATION BLOCK 25, GRAY

MODEL	Plastic PA
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Zinc plated steel
COLOR	Gray ≈ RAL 7042
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* A1 size with spacer!



Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
M6	5.0 / 10.0* / 15.0 / 20.0*	4.35 (4.5)	8	13.0	I	094500M6S03




VARIO BLOCK 18 CS

MODEL	Plastic PA, slot 8
DESCRIPTION	To attach panels simply to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Steel
SURFACE	Nut: Zinc plated
COLOR	Block: Black
PACK QUANTITY	100 pieces
SPECIALS	Other colors on request
TIP	* A1 size with spacer!



Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
M5	9.5 / 12* / 12.5 / 15*	2.2 (2.2)	8	8.8	B	094511M5CS



VARIO BLOCK 25 CS




MODEL	Plastic PA, Slot 10
DESCRIPTION	To attach panels simply to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC
MATERIAL	Block: Plastic PA, glass fiber reinforced Nut: Steel
SURFACE	Nut: Zinc plated
COLOR	Block: Black
PACK QUANTITY	100 pieces
SPECIALS	Other colors on request
TIP	* A1 size with spacer!










Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
M5	2.5: 13 / 15.5* / 17.5 / 20* 5.0: 13 / 18* / 17.5 / 22.5*	6.0 (6.0)	10	18.8	B	094513M5CS

CLIP BLOCK 13, BLACK

MODEL	Plastic PA, Slot 5, 6
DESCRIPTION	To attach panels to aluminum profiles without screws or tools
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Black
FIXATION SPAN	Panel units with a thickness of 1 - 6 mm
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!




Version	D [mm]	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		4.0	1.6 [1.8]	5	3.4	I	094311
Spacer	*1.0				0.5		094901
	*2.0				0.8		094902
	3.0				1.3		094903
	4.0				1.8		094904




CLIP BLOCK 13, GRAY

MODEL	Plastic PA, Slot 5, 6
DESCRIPTION	To attach panels to aluminum profiles without screws or tools
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Gray ≈ RAL 7042
FIXATION SPAN	Panel units with a thickness of 1 - 6 mm
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!




Version	D [mm]	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		4.0	1.6 [1.8]	5	3.4	I	094311S02
Spacer	*1.0				1.0		094901S03
	*2.0				1.2		094902S03
	3.0				1.5		094903S03
	4.0				1.8		094904S03










CLIP BLOCK 14, BLACK

MODEL	Plastic PA, Slot 8, 10
DESCRIPTION	To attach panels to aluminum profiles without screws or tools
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Black
FIXATION SPAN	Panel units with a thickness of 1 - 9 mm
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!





Version	D [mm]	L [mm]	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		19.5	5.0	4.5 [4.5]	8	7.8	I	094204
		26.0	11.5	4.5 [4.5]	8	8.3	I	094203
		19.5	7.0	2.2 [2.2]	8	7.4	B	094202
		26.0	14.0	5.8 [6.0]	10	8.0	B	094205
Spacer	*2.0					1.0		094102K
	*3.0					1.5		094103K
	*5.0					2.0		094105K










CLIP BLOCK 14, GRAY

MODEL	Plastic PA, Slot 8, 10
DESCRIPTION	To attach panels to aluminum profiles without screws or tools
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Gray
FIXATION SPAN	Panel units with a thickness of 1 - 9 mm
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	* No further spacers can be added!



Version	Color	D [mm]	L [mm]	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	Gray ≈ RAL 7042		19.5	5.0	4.5 [4.5]	8	7.8	I	094204S01
	Gray ≈ RAL 7042		26.0	11.5	4.5 [4.5]	8	8.3	I	094203S05
	Gray ≈ RAL 7004		19.5	7.0	2.2 [2.2]	8	7.4	B	094202S03
	Gray ≈ RAL 7004		26.0	14.0	5.8 [6.0]	10	8.0	B	094205S04
Spacer	Gray ≈ RAL 7004	*2.0					1.0		094102KS03
	Gray ≈ RAL 7004	*3.0					1.5		094103KS03
	Gray ≈ RAL 7004	*5.0					2.0		094105KS03
	Gray ≈ RAL 7042	*2.0					1.0		094102KS01
	Gray ≈ RAL 7042	*3.0					1.5		094103KS01
	Gray ≈ RAL 7042	*5.0					2.0		094105KS01



CLIP BLOCK 14 SL



MODEL	Plastic PA, Slot 8, 10
DESCRIPTION	To attach panels easily to aluminum profiles without screws or tools; can only be opened with the special tool SL
MATERIAL	Plastic PA, glass fiber reinforced
COLOR	Black
FIXATION SPAN	Panel units with a thickness of 1 - 9 mm
PACK QUANTITY	100 pieces
SPECIALS	Customized hammer, other colors on request
TIP	Tool SL for Clip Block 14 SL see 094204SL
TIP 2	* No further spacers can be added!




Version	D [mm]	L [mm]	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
		19.5	5.0	4.5 [4.5]	8	7.8	I	094204SL
		26.0	11.5	4.5 [4.5]	8	8.0	I	094203SL
		19.5	7.0	2.2 [2.2]	8	7.0	B	094202SL
		26.0	14.0	5.8 [6.0]	10	8.0	B	094205SL
Spacer	*2.0					1.0		094102K
	*3.0					1.5		094103K
	*5.0					2.0		094105K

TOOL FOR CLIP BLOCK SL

MODEL	Plastic PA
DESCRIPTION	To open the clip block SL
MATERIAL	Plastic PA, glass ball reinforced Pins: Zinc plated steel
COLOR	Red
PACK QUANTITY	1 piece





Weight [g]	Part #
23.0	0942SL



VARIO CLAMPING BLOCK 18


MODEL	Plastic PA, slot 8
DESCRIPTION	To attach panels safely to aluminum profiles; optional screwless mounting with clip clamp
MATERIAL	Block: Plastic PA, glass fiber reinforced Clip clamp: Plastic PC Nut: Steel
SURFACE	Nut: Zinc plated
COLOR	Block: Black Clip clamp: Transparent colorless
FIXATION SPAN	With clip clamp from 0 to 13 mm
PACK QUANTITY	100 pieces
SPECIALS	Other colors on request



Version	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
Clip clamp	M6	2.5 / 8.5	2.2 [2.2]	8	7.8	B	094523M6
					2.8		09452RA20

VARIO CLAMPING BLOCK 25

MODEL	Plastic PA, Slot 10
DESCRIPTION	To attach panels safely to aluminum profiles; with screw reatiner to comply with Machinery Directive 2006/42/EC; optional screwless mounting with clip clamp
MATERIAL	Block: Plastic PA, glass fiber reinforced Clip clamp: Plastic PC Nut: Steel
SURFACE	Nut: Zinc plated
COLOR	Block: Black Clip clamp: Transparent colorless
FIXATION SPAN	With clip clamp from 0 to 13 mm
PACK QUANTITY	100 pieces
SPECIALS	Other colors on request




Version	Thread	A1 [mm]	A2 (Profile) [mm]	N	Weight [g]	Profile	Part #
	M6	8.5	5.8 (6.0)	10	8.8	B	094522M6CS
Clip clamp					2.8		09452RA20

UNIBLOCK ZN 40 CS

MODEL	Zinc die-cast, slot 8, 10
DESCRIPTION	To attach panels to aluminum profiles; especially for high load bearing (up to 2000 N) on the panels; with screw retainer to comply with Machinery Directive 2006/42/EC
MATERIAL	Zinc die-cast
SURFACE	Zinc plated (RoHS compliant)
COLOR	Black
PACK QUANTITY	10 pieces



H [mm]	Thread	A1 max. [mm]	A1 min. [mm]	N	Weight [g]	Part #
	M6	22.0	7.9		61.4	094Z40SCS
1.7	M6	22.0	7.9	8	69.8	094Z40S0817CS
4.0	M6	22.0	7.9	8	67.0	094Z40S0840CS
4.0	M6	22.0	7.9	10	72.0	094Z40S1040CS



ANGLE BLOCK 40/45 (SET)

MODEL	Aluminum die-cast, profile 40 + 45
DESCRIPTION	To attach panels to aluminum profiles; especially for high load bearing on the panels
MATERIAL	Aluminum die-cast
SURFACE	Plain
ASSEMBLY SET	2 hammer screws M8 x 25, 2 flange nuts M8
PACK QUANTITY	10 pieces / 10 set
SPECIALS	Other surfaces, other colors on request



	Set	N	Weight [g]	Profile	Dimensions [mm]	Part #
		10	48.7		M5	094A4045
incl. assembly set		10	75.6	B	M5	094A4045S01

STEEL CONNECTION ANGLE 45 / 60


MODEL	Steel, profile 45 and up
DESCRIPTION	To connect two aluminum profiles at right angles
MATERIAL	Steel
SURFACE	Zinc plated
PACK QUANTITY	10 pieces




ESD	Weight [g]	Part #
ESD electrostatical discharging	112.0	093WV452V

COVER AND REDUCTION PROFILE I SLOT 5

MODEL	Plastic PP, slot 5
DESCRIPTION	To cover size 5 profile slots and to secure panels with a thickness of 2 - 3 mm
MATERIAL	Plastic PP
COLOR	Black, gray, natural
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!





	Color	N	Weight [g/m]	Profile	Part #
	Black	5	26.0	I	092045
	Natural	5	26.0	I	092047
	Gray ≈ RAL 7042	5	26.0	I	092045S07




COVER AND REDUCTION PROFILE B SLOT 6

MODEL	Plastic PP, slot 6
DESCRIPTION	To cover size 6 profile slots and to secure panels with a thickness of 1 - 4 mm
MATERIAL	Plastic PP
COLOR	Black
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!




Slot	Weight [g/m]	Profile	Part #
6	17.0	B	092246




COVER AND REDUCTION PROFILE I SLOT 6

MODEL	Plastic PP, slot 6
DESCRIPTION	To cover size 6 profile slots and to secure panels with a thickness of 2 - 3.5 mm
MATERIAL	Plastic PP
COLOR	Black, gray, natural
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!



	Color	N	Weight [g/m]	Profile	Part #
	Black	6	26.0	I	092033
	Gray ≈ RAL 7035	6	26.0	I	092033S01
	Natural	6	26.0	I	092034
	Gray ≈ RAL 7042	6	26.0	I	092033S05




COVER AND REDUCTION PROFILE I SLOT 8

MODEL	Plastic PP, slot 8
DESCRIPTION	To cover size 8 profile slots and to secure panels with a thickness of 4 - 6 mm
MATERIAL	Plastic PP
COLOR	Black, yellow, orange, red, blue, gray, white aluminum, natural
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!





	Color	N	Weight [g/m]	Profile	Part #
	Black	8	26.0	I	092031
	Yellow ≈ RAL 1018	8	26.0	I	092031S03
	Orange ≈ RAL 2008	8	26.0	I	092031S08
	Red ≈ RAL 3020	8	26.0	I	092036
	Blue ≈ RAL 5005	8	26.0	I	092037
	Gray ≈ RAL 7035	8	26.0	I	092035
	Gray ≈ RAL 7042	8	26.0	I	092035S04
	White aluminum ≈ RAL 9006	8	26.0	I	092031S04
	Natural	8	26.0	I	092030




COVER AND REDUCTION PROFILE B SLOT 8

MODEL	Plastic PP + TPE, slot 8
DESCRIPTION	To cover size 8 profile slots and to secure panels with a thickness of 4 - 6 mm
MATERIAL	Plastic PP + TPE
COLOR	Black
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!




N	Weight [g/m]	Profile	Part #
8	25.0	B	092242




COVER AND REDUCTION PROFILE M45 SLOT 8

MODEL	Plastic PP, slot 8
DESCRIPTION	To cover size 8 profile slots and to secure panels with a thickness of 4 - 6 mm
MATERIAL	Plastic PP
COLOR	Black, gray
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!




	Color	Slot	Weight [g/m]	Part #
	Black	8	56.0	092280
	Gray ≈ RAL 7035	8	56.0	092280S01
	Gray ≈ RAL 7042	8	56.0	092280S02



REDUCTION PROFILE I SLOT 8 / 4 - 6 MM


MODEL	Plastic TPE, slot 8
DESCRIPTION	To secure panels with a thickness of 4 - 6 mm
MATERIAL	Plastic TPE
COLOR	Black, gray
PACK QUANTITY	100 meters (5 spools at 20 m)
TIP	Please note: You are ordering in meters!




	Color	N	Weight [g/m]	Profile	Part #
	Black	8	46.0	I	092270
	Gray ≈ RAL 7042	8	46.0	I	092271

HOLDER PROFILE SLOT 8

MODEL	Plastic PP + TPE, slot 8, subsequently insertable
DESCRIPTION	For subsequent insertion of panels of size 2.0 - 10.0 mm, creates a sealed connection against spray water and dust
MATERIAL	Plastic PP + TPE
COLOR	Black
PACK QUANTITY	50 meters (25 pieces at 2 m)
TIP	Please note: You are ordering in meters!




Slot	Weight [g/m]	Profile	Part #
8	214.0	I	092262



GLAZING STRIP FOR INSERT PROFILE I AL



MODEL	Plastic PP + TPE, slot 8, subsequently insertable
DESCRIPTION	To insert panels with 2.0 to 8.0 mm thickness subsequently into assebled structures
MATERIAL	Plastic PP + TPE
COLOR	Gray
PACK QUANTITY	50 meters (25 pieces at 2 m)
TIP	Please note: You are ordering in meters!
TIP 2	For a complete insert profile a suitable support strip I AL is required.




	Color	A [mm]	Slot	for Panel	Weight [g]	Profile	Part #
	Gray ≈ RAL 7042	30.0	8	2 - 4 mm	378.0	I	092340
		28.0	8	4 - 6 mm	367.0	I	092347S01
		26.0	8	6 - 8 mm	362.0	I	092345

COVER AND REDUCTION PROFILE B SLOT 10 FLAT

MODEL	Plastic PP + TPE, slot 10
DESCRIPTION	To secure panels with a thickness of 4 - 6 mm
MATERIAL	Plastic PP + TPE
COLOR	Black
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!



N	Weight [g/m]	Profile	Part #
10	39.0	B	092260




COVER AND REDUCTION PROFILE B SLOT 10 DEEP

MODEL	Plastic PP + TPE, slot 10
DESCRIPTION	To cover size 10 profile slots and to secure panels with a thickness of 2 - 6 mm
MATERIAL	Plastic PP + TPE
COLOR	Black
PACK QUANTITY	200 meters (100 pieces at 2 m)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters!





N	Weight [g/m]	Profile	Part #
10	34.0	B	092243




REDUCTION PROFILE B SLOT 10 / 6 MM

MODEL	Plastic PE, slot 10
DESCRIPTION	To secure panels with a thickness of 6 mm
MATERIAL	Plastic PE
COLOR	Black
PACK QUANTITY	100 meters (50 pieces at 2 m)
TIP	Please note: You are ordering in meters!




Slot	Weight [g/m]	Profile	Part #
10	110.3	B	092094




HOLDER PROFILE SLOT 10

MODEL	Plastic PP + TPE; slot 10, can be fitted subsequently
DESCRIPTION	For subsequent insertion of panels of size 2.0 - 10.0 mm, creates a sealed connection against spray water and dust
MATERIAL	Plastic PP + TPE
COLOR	Black
PACK QUANTITY	50 meters (25 pieces at 2 m)
TIP	Please note: You are ordering in meters!



Weight [g/m]	Profile	Part #
176.0	B	092244



INSERT PROFILE AL



MODEL	Aluminum and plastic PP + TPE, slot 10, subsequently applicable
DESCRIPTION	To insert panels with 2.0 to 8.0 mm thickness subsequently into assembled structures
MATERIAL	Support strip AL: Aluminum Glazing strip: PP + TPE
SURFACE	Support strip: Anodized
COLOR	Glazing strip: Gray ≈ RAL 7035
PACK QUANTITY	20 meters (10 pieces at 2 m)
TIP	Please note: You are ordering in meters! For a complete insert profile, please order two products: Support Strip AL 092252 + Glazing Strip 092253




Version	Slot 10	Weight [g]	Profile	Part #
Support strip AL	10	240.0	B	092252
Glazing strip	10	60.0	B	092253

PLUG-IN PROFIL 1.9 / 3 - 2

MODEL	Plastic TPE, slot 5, 6, 8, 10
DESCRIPTION	To secure panels in the slot and fill the slot
MATERIAL	Plastic TPE
COLOR	Black
PACK QUANTITY	100 meters (spool)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly





A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
7.6	6.2	5	1.9	2 - 3 mm	16.0	I	092063




PLUG-IN PROFIL 3.0 / 4 - 2

MODEL	Plastic TPE, slot 5, 6, 8, 10
DESCRIPTION	To secure panels in the slot and fill the slot
MATERIAL	Plastic TPE
COLOR	Black
PACK QUANTITY	100 meters (spool)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly





A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
8.7	7.0	6	3.0	2 - 3 (4*) mm	20.0	I	092064




PLUG-IN PROFIL 4.7 / 4 - 2

MODEL	Plastic TPE, slot 5, 6, 8, 10
DESCRIPTION	To secure panels in the slot and fill the slot
MATERIAL	Plastic TPE
COLOR	Black
PACK QUANTITY	100 meters (spool)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly





A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
14.0	7.0	8 / 10	4.7	4 - 6 mm / 6 - 7 (8*) mm	30.8	I / I	092066




PLUG-IN PROFIL 3.0 / 4 - 5

MODEL	Plastic EPDM, Slot 8
DESCRIPTION	To secure panels in the slot and fill the slot; with reduced surface friction to ease the application
MATERIAL	Plastic EPDM coated with sliding polymer
COLOR	Black
PACK QUANTITY	100 meters (spool)
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly



A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
11.6	7.0	8	3.0	4 – 5 (6*) mm	37.0	B	092256




PLUG-IN PROFIL 4.2 / 6 - 4

MODEL	Plastic TPE, slot 8+10
DESCRIPTION	To secure panels in the slot and fill the slot
MATERIAL	Plastic TPE
COLOR	Black, gray
PACK QUANTITY	100 meters (spool)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly





Color	A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
Black	14.6	10.1	8 / 10	4.2	2 - 4 mm / 4 - 5 (6*) mm	90.0	I	092093
Gray ≈ RAL 7042	14.6	10.1	8 / 10	4.2	2 - 4 mm / 4 - 5 (6*) mm	90.0	I	092093S02




PLUG-IN PROFIL 5.0 / 6 - 4

MODEL	Plastic EPDM, slot 8+10
DESCRIPTION	To secure panels in the slot and fill the slot; with reduced surface friction to ease the application
MATERIAL	Plastic EPDM coated with sliding polymer
COLOR	Black
PACK QUANTITY	100 meters (spool)
TIP	Please note: You are ordering in meters!





A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
14.7	8.6	8 / 10	5.0	2 – 4 mm / 4 - 6 mm	53.0	I	092255
13.5	7.0	8 / 10	5.0	4 – 6 mm / 6 - 7 mm	40.0	I	092254




PLUG-IN PROFIL 6.9 / 6 - 4

MODEL	Plastic TPE, slot 8+10
DESCRIPTION	To secure panels in the slot and fill the slot
MATERIAL	Plastic TPE
COLOR	Black
PACK QUANTITY	100 meters (spool)
SPECIALS	Other colors on request
TIP	Please note: You are ordering in meters! *Best wetted with soapy water prior to assembly




A [mm]	B [mm]	Slot	C [mm]	for Panel	Weight [g/m]	Profile	Part #
18.0	11.8	8 / 10 / 10	4.5	2 - 4 mm / 4 - 6 mm / 4 (5*) mm	70.0	I / I / B	092065




CLAMPING SPRING FOR CLAMP PROFIL 18 X 32

MODEL	Stainless Steel, for Clamp Slot 10
DESCRIPTION	To fix panels 2 - 9 mm in the slot
MATERIAL	Stainless steel SS303
SURFACE	Plain
LENGTH	80 mm
PACK QUANTITY	100 pieces at 80 mm
TIP	Compatible Sliding Door Guide see 093084S01 et sq.




Weight [g]	Profile	Part #
4.0	I	092090




CLAMPING SPRING FOR PROTECTIVE FENCE PROFILES 30 X 30 WG

MODEL	Spring steel
DESCRIPTION	To fix panels 2 - 4 mm in a clamp slot for Ø 3 mm wire mesh frames, or panels 4 - 5 mm in a clamp slot for Ø 4 mm wire mesh frames; recommended number: ca. 4 pcs. per 1 m
MATERIAL	Spring steel C60S
SURFACE	Plain
LENGTH	45 mm
PACK QUANTITY	100 pieces at 45 mm



Weight [g]	Profile	Part #
3.0	B	092096




GLASS PANEL CLAMP (SET)

MODEL	Zinc die-cast, with assembly set
DESCRIPTION	To fix glass and other panels
MATERIAL	Zinc die-cast
SURFACE	Powder coated
COLOR	Alu color
SET	1 glass panel clamp, 1 screw M5 x 16, 5 rubber pads for panels 2 - 9 mm
PACK QUANTITY	10 sets
SPECIALS	Other surfaces, other colors on request





Weight [g]	Part #
74.0	093310




CORNER CONNECTOR FOR GLASS PANEL CLAMP (SET)

MODEL	For glass panel clamp, zinc die-cast
DESCRIPTION	To make a corner connection with two panels using two glass panel clamps (2 sets)
MATERIAL	Zinc die-cast
SURFACE	Powder coated
COLOR	Alu color
SET	1 corner connector, 2 screws M5 x 12
PACK QUANTITY	10 sets
SPECIALS	Other surfaces, other colors on request





Weight [g]	Part #
37.0	093320



PANEL HOLDER

MODEL	Aluminum
DESCRIPTION	To attach panels easily to aluminum profiles
MATERIAL	Aluminum
SURFACE	Anodized
PACK QUANTITY	10 pieces



for Profile	A [mm]	B [mm]	H [mm]	T [mm]	ØD [mm]	t [mm]	M	S [mm]	Weight [g]	Part #
20	12.0	20.0	39.0	10.0	5.5	3.0	M6	7.4	10.0	093P20N
30	23.0	30.0	68.0	15.0	9.0	6.0	M8	11.0	36.3	093P30N
40	24.0	40.0	78.0	20.0	9.0	6.0	M8	16.0	60.0	093P40N
45	26.5	45.0	88.0	22.5	9.0	6.0	M8	17.5	75.0	093P45N

