





### COVER PROFILE

CHIUDICAVA RIGIDO  
TAPA-RANURA  
PROFILÉ DE RECouvrement  
ABDECKPROFIL

AC  
8  
45




| Cod                | Note        | g/m |
|--------------------|-------------|-----|
| <b>084.203.003</b> | L = 2000 mm | 176 |

#### Rigid grey PVC

PVC rigido grigio  
PVC rígido color gris  
VC rigide gris  
Hart-PVC grau

#### Other colours on request



Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage



### COVER PROFILE

CHIUDICAVA RIGIDO  
TAPA-RANURA  
PROFILÉ DE RECouvrement  
ABDECKPROFIL

AC  
8  
45




| Cod                | Note        | g/m |
|--------------------|-------------|-----|
| <b>084.203.002</b> | L = 2000 mm | 176 |

#### Rigid black PVC

PVC rigido nero  
PVC rígido color negro  
VC rigide noir  
Hart-PVC schwarz

#### Other colours on request

Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage




**COVER PROFILE**

CHIUDICAVA RIGIDO  
TAPA-RANURA  
PROFILÉ DE RECouvreMENT  
ABDECKPROFIL

AC  
8  
45



| Cod                | Note        | g/m |
|--------------------|-------------|-----|
| <b>084.203.014</b> | L = 2000 mm | 70  |

**Rigid grey PVC**

PVC rigido grigio  
PVC rígido color gris  
VC rigide gris  
Hart-PVC grau

**Other colours on request**


Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage

**COVER PROFILE**

CHIUDICAVA MORBIDO  
TAPA-RANURA  
PROFILÉ DE RECouvreMENT  
ABDECKPROFIL

AC  
8  
45



| Cod                | Note                                                                    | g/m |
|--------------------|-------------------------------------------------------------------------|-----|
| <b>084.203.016</b> | 20 m rolls - Rotoli 20 m - Rollos de 20 m - Rouleaux 20 m - Rollen 20 m | 57  |

**Soft black PVC**

PVC morbido nero  
PVC flexible color negro  
PVC souple noir  
Weich-PVC schwarz

**Other colours on request**

Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage






### COVER PROFILE

CHIUDICAVA MORBIDO  
TAPA-RANURA  
PROFILÉ DE RECouvreMENT  
ABDECKPROFIL

AC  
8  
45

| Cod                | Note                                                                 | g/m |
|--------------------|----------------------------------------------------------------------|-----|
| <b>084.203.015</b> | 20 m rolls - Rotoli 20 m - Rotoli 20 m - Rouleaux 20 m - Rollen 20 m | 57  |





#### Soft grey PVC

PVC morbido grigio  
PVC flexible color gris  
PVC souple gris  
Weich-PVC grau

#### Other colours on request

Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage




### COVER PROFILE

CHIUDICAVA MORBIDO  
TAPA-RANURA  
PROFILÉ DE RECouvreMENT  
ABDECKPROFIL

AC  
8  
45

| Cod                | Note                                                                                        | g/m |
|--------------------|---------------------------------------------------------------------------------------------|-----|
| <b>084.203.001</b> | 50-100 m rolls - Rotoli 50-100 m - Rollos de 50-100 m - Rouleaux 50-100 m - Rollen 50-100 m | 75  |





#### Soft black PVC

PVC morbido nero  
PVC flexible color negro  
PVC souple noir  
Weich-PVC schwarz

#### Other colours on request

Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage




**COVER PROFILE**

CHIUDICAVA MORBIDO  
TAPA-RANURA  
PROFILÉ DE RECOUVREMENT  
ABDECKPROFIL

AC  
8  
45



| Cod                 | Note                                                                                        | g/m |
|---------------------|---------------------------------------------------------------------------------------------|-----|
| <b>084.203.001G</b> | 50-100 m rolls - Rotoli 50-100 m - Rollos de 50-100 m - Rouleaux 50-100 m - Rollen 50-100 m | 75  |

**Soft grey PVC**

PVC morbido grigio  
PVC flexible color gris  
PVC souple gris  
Weich-PVC grau

**Other colours on request**


Altri colori a richiesta  
Otros colores bajo solicitud  
Autres couleurs sur demande  
Weitere Farben auf Anfrage





## CAP SCREWS

VITI CILINDRICHE  
TORNILLOS DE CABAÇA CILÍNDRICA  
VIS À TÊTE CYLINDRIQUE  
ZYLINDERKOPFSCHRAUBEN




| Cod                | Note  | d  | A  | D    | B    | s   | g  |
|--------------------|-------|----|----|------|------|-----|----|
| <b>084.301.008</b> | M4x12 | M4 | 12 | 7    | 2,5  | 2,5 | 1  |
| <b>084.301.054</b> | M5x8  | M5 | 8  | 8,50 | 3,50 | 3   | 2  |
| <b>084.301.009</b> | M5x12 | M5 | 12 | 8    | 3,50 | 3   | 3  |
| <b>084.301.035</b> | M5x16 | M5 | 16 | 8    | 3,50 | 3   | 3  |
| <b>084.301.036</b> | M5x20 | M5 | 20 | 8    | 3,50 | 3   | 4  |
| <b>084.301.010</b> | M6x12 | M6 | 12 | 10   | 4    | 4   | 4  |
| <b>084.301.011</b> | M6x16 | M6 | 16 | 10   | 4    | 4   | 5  |
| <b>084.301.001</b> | M6x20 | M6 | 20 | 10   | 4    | 4   | 6  |
| <b>084.301.002</b> | M8x16 | M8 | 16 | 13   | 5    | 5   | 8  |
| <b>084.301.003</b> | M8x20 | M8 | 20 | 13   | 5    | 5   | 10 |
| <b>084.301.012</b> | M8x22 | M8 | 22 | 13   | 5    | 5   | 12 |
| <b>084.301.004</b> | M8x25 | M8 | 25 | 13   | 5    | 5   | 12 |
| <b>084.301.038</b> | M8x30 | M8 | 30 | 13   | 5    | 5   | 15 |
| <b>084.301.013</b> | M8x35 | M8 | 35 | 13   | 5    | 5   | 18 |
| <b>084.301.005</b> | M8x40 | M8 | 40 | 13   | 5    | 5   | 18 |
| <b>084.301.006</b> | M8x50 | M8 | 50 | 13   | 5    | 5   | 20 |
| <b>084.301.007</b> | M8x60 | M8 | 60 | 13   | 5    | 5   | 24 |

### Galvanised steel

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl

**CAP SCREWS**

VITI CILINDRICHE  
TORNILLOS DE CABEZA CILÍNDRICA  
VIS À TÊTE CYLINDRIQUE  
ZYLINDERKOPFSCHRAUBEN

**STAINLESS STEEL**

| Cod                | Note  | d  | A  | D  | B | s | g  |
|--------------------|-------|----|----|----|---|---|----|
| <b>084.301.032</b> | M8x12 | M8 | 12 | 13 | 8 | 6 | 8  |
| <b>084.301.029</b> | M8x16 | M8 | 16 | 13 | 8 | 6 | 11 |
| <b>084.301.025</b> | M8x20 | M8 | 20 | 13 | 8 | 6 | 13 |
| <b>084.301.033</b> | M8x25 | M8 | 25 | 13 | 8 | 6 | 15 |
| <b>084.301.031</b> | M8x30 | M8 | 30 | 13 | 8 | 6 | 16 |
| <b>084.301.026</b> | M8x35 | M8 | 35 | 13 | 8 | 6 | 17 |
| <b>084.301.027</b> | M8x40 | M8 | 40 | 13 | 8 | 6 | 20 |
| <b>084.301.030</b> | M8x45 | M8 | 45 | 13 | 8 | 6 | 21 |
| <b>084.301.028</b> | M8x50 | M8 | 50 | 13 | 8 | 6 | 22 |


**Stainless steel**

Acciaio inox  
Acero inoxidable  
Acier inox  
Rostfreier Stahl



## BUTTON HEAD SCREWS

VITI BOMBATE  
TORNILLOS DE CABEZA ABOMBADA  
VIS À TÊTE BOMBÉE  
LINSENSCHRAUBEN



| Cod                | Note  | d  | A  | D  | B | s | g |
|--------------------|-------|----|----|----|---|---|---|
| <b>084.301.079</b> | M5x12 | M5 | 12 | 10 |   |   | 3 |
| <b>084.301.040</b> | M6x16 | M6 | 16 | 10 |   |   | 5 |
| <b>084.301.039</b> | M8x20 | M8 | 20 | 14 |   |   | 6 |



### Galvanised steel

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl

## T-BOLT

VITI A MARTELLO  
TORNILLOS EN T  
VIS À TÊTE MARTEAU  
T-BOLZEN



AC  
8  
45



| Cod                | Note  | d  | A  | D | B | s | g  |
|--------------------|-------|----|----|---|---|---|----|
| <b>084.301.050</b> | M8x20 | M8 | 20 | - | - | - | 15 |
| <b>084.301.051</b> | M8x25 | M8 | 25 | - | - | - | 16 |
| <b>084.301.052</b> | M8x30 | M8 | 30 | - | - | - | 17 |
| <b>084.301.053</b> | M8x35 | M8 | 35 | - | - | - | 18 |



### Galvanised steel

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**LIGHT CARBOSIX RECTANGULAR NUT**


DADO RETTANGOLARE CARBOSIX LEGGERO  
 TUERCA RECTANGULAR CARBOSIX LIGERA  
 ÉCROU RECTANGULAIRE CARBOSIX LÉGER  
 LEICHTER CARBOSIX NUTENSTEIN

**HEAVY LOADS**AC  
8  
45



| Cod                | Note | g |
|--------------------|------|---|
| <b>115.302.005</b> | M8   | 4 |
| <b>115.302.008</b> | M4   | 4 |
| <b>115.302.009</b> | M6   | 4 |

**Galvanised steel**

Alluminio  
 Aluminio  
 Aluminium  
 Aluminium

**CARBOSIX RECTANGULAR NUT**


DADO RETTANGOLARE CARBOSIX  
 TUERCA RECTANGULAR CARBOSIX  
 ÉCROU RECTANGULAIRE CARBOSIX  
 CARBOSIX NUTENSTEIN

**HEAVY LOADS**AC  
8  
45

| Cod                | Note | g  |
|--------------------|------|----|
| <b>115.302.002</b> | M8   | 13 |

**Galvanised steel**

Acciaio zincato  
 Acero galvanizado  
 Acier zingué  
 Verzinkter Stahl







### LIGHT CARBOSIX RECTANGULAR NUT

DADO RETTANGOLARE CARBOSIX LEGGERO  
TUERCA RECTANGULAR CARBOSIX LIGERA  
ÉCROU RECTANGULAIRE CARBOSIX LÉGER  
LEICHTER CARBOSIX NUTENSTEIN

HEAVY LOADS


AC  
8  
45

| Cod         | Note | g |
|-------------|------|---|
| 115.302.006 | M8   | 8 |



#### Galvanised steel

Alluminio  
Aluminio  
Aluminium  
Aluminium





### CARBOSIX RECTANGULAR NUT

DADO RETTANGOLARE CARBOSIX  
TUERCA RECTANGULAR CARBOSIX  
ÉCROU RECTANGULAIRE CARBOSIX  
CARBOSIX NUTENSTEIN

HEAVY LOADS


AC  
8  
45

| Cod         | Note | g  |
|-------------|------|----|
| 115.302.003 | M8   | 20 |



#### Galvanised steel

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl




**LIGHT CARBOSIX RECTANGULAR NUT**



DADO RETTANGOLARE CARBOSIX LEGGERO  
 TUERCA RECTANGULAR CARBOSIX LIGERA  
 ÉCROU RECTANGULAIRE CARBOSIX LÉGER  
 LEICHTER CARBOSIX NUTENSTEIN

**HEAVY LOADS**AC  
8  
45

| Cod                | Note | g  |
|--------------------|------|----|
| <b>115.302.007</b> | M8   | 15 |

**Galvanised steel**


Alluminio  
 Aluminio  
 Aluminium  
 Aluminium

**CARBOSIX RECTANGULAR NUT**



DADO RETTANGOLARE CARBOSIX  
 TUERCA RECTANGULAR CARBOSIX  
 ÉCROU RECTANGULAIRE CARBOSIX  
 CARBOSIX NUTENSTEIN

**HEAVY LOADS**AC  
8  
45

| Cod                | Note | g  |
|--------------------|------|----|
| <b>115.302.004</b> | M8   | 40 |



**Galvanised steel**

Acciaio zincato  
 Acero galvanizado  
 Acier zingué  
 Verzinkter Stahl





**SQUARE NUT**  
DADO QUADRO  
TUERCA CUADRADA  
ÉCROU CARRÉ  
VIERKANTMUTTER




LIGHT LOADS

AC  
8  
45



| Cod                | Note | g |
|--------------------|------|---|
| <b>084.302.001</b> | M4   | 3 |
| <b>084.302.002</b> | M5   | 3 |
| <b>084.302.003</b> | M6   | 3 |
| <b>084.302.004</b> | M8   | 3 |

**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**SQUARE NUT**  
DADO QUADRO  
TUERCA CUADRADA  
ÉCROU CARRÉ  
VIERKANTMUTTER



LIGHT LOADS


STAINLESS STEEL

AC  
8  
45

| Cod                | Note | g |
|--------------------|------|---|
| <b>084.302.037</b> | M8   | 3 |



**Stainless steel**

Acciaio inox  
Acero inoxidable  
Acier inox  
Rostfreier Stahl



**SQUARE NUT WITH SPRING**


DADO QUADRO CON MOLLA  
TUERCA CUADRADA CON RESORTE  
ÉCROU CARRÉ AVEC RESSORT  
VIERKANTMUTTER MIT FEDER

**LIGHT LOADS**AC  
8  
45



| Cod                | Note | g |
|--------------------|------|---|
| <b>084.302.006</b> | M4   | 6 |
| <b>084.302.007</b> | M5   | 5 |
| <b>084.302.008</b> | M6   | 5 |
| <b>084.302.009</b> | M8   | 4 |

**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl

**SQUARE NUT WITH SPRING**


DADO QUADRO CON MOLLA  
TUERCA CUADRADA CON RESORTE  
ÉCROU CARRÉ AVEC RESSORT  
VIERKANTMUTTER MIT FEDER

**LIGHT LOADS****STAINLESS STEEL**AC  
8  
45

| Cod                | Note | g |
|--------------------|------|---|
| <b>084.302.038</b> | M8   | 4 |

**Stainless steel**

Acciaio inox  
Acero inoxidable  
Acier inox  
Rostfreier Stahl








**RECTANGULAR NUT**  
DADO RETTANGOLARE  
TUERCA RECTANGULAR  
ÉCROU RECTANGULAIRE  
RECHTECKMUTTER

AC  
8  
45

| Cod                | Note                                                                                                                                         | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.302.060</b> | Supplied without grub screws - Fornito senza grani - No incluye los tornillos sin cabeza - Fourni sans vis sans tête - Ohne Stifte geliefert | 50 |




**Galvanised steel**  
Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl





**RECTANGULAR NUT**  
DADO RETTANGOLARE  
TUERCA RECTANGULAR  
ÉCROU RECTANGULAIRE  
RECHTECKMUTTER

AC  
8  
45

| Cod                | Note                                                                                                                                         | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.302.017</b> | Supplied without grub screws - Fornito senza grani - No incluye los tornillos sin cabeza - Fourni sans vis sans tête - Ohne Stifte geliefert | 60 |



**Galvanised steel**  
Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl









BH  
6  
25

**SLIDING BLOCK**  
DADO CON RISALTO  
TUERCA EN T  
ÉCROU EN T  
NUTENSTEIN

| Cod         | Note | g  |
|-------------|------|----|
| 084.302.073 | M4   | 15 |




**Galvanised steel**  
Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl






BH  
6  
25

**SLIDING BLOCK**  
DADO CON RISALTO  
TUERCA EN T  
ÉCROU EN T  
NUTENSTEIN

| Cod         | Note | g  |
|-------------|------|----|
| 084.302.074 | M5   | 14 |



**Galvanised steel**  
Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl







### SLIDING BLOCK

DADO CON RISALTO  
TUERCA EN T  
ÉCROU EN T  
NUTENSTEIN



BH  
6  
25

| Cod         | Note | g  |
|-------------|------|----|
| 084.302.075 | M6   | 13 |



### Galvanised steel



Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



### FLANGE NUT


DADO FLANGIATO  
TUERCA CON COLLAR  
ÉCROU À BRIDE  
FLANSCHMUTTER

| Cod         | Note | g |
|-------------|------|---|
| 084.302.036 | M8   | 2 |




### Galvanised steel

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**BUSHING**

BOCCOLA  
CASQUILLO  
DOUILLE  
BUCHSE




| Cod                | Note | g |
|--------------------|------|---|
| <b>115.302.001</b> | M8   | 2 |

**Brass**

Ottone  
Latón  
Laiton  
Messing

**For gluing instructions, see the user manual.**

Per istruzioni riguardo l'incollaggio consultare il manuale d'uso.  
Para instrucciones de pegado, consulte el manual del usuario.  
Pour l'encollage veuillez consulter le manuel d'instruction.  
Anweisungen zum Kleben finden Sie in der Bedienungsanleitung.








**SQUARE WASHER**  
RONDELLA QUADRA  
ARANDELA CUADRADA  
RONDELLE CARRÉE  
VIERKANTSCHIEBE

AC  
8  
45

| Cod         | Note  | g |
|-------------|-------|---|
| 084.303.001 | 13x13 | 1 |





**Galvanised steel**  
Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**CONNECTION PLATE**


PIASTRA DI GIUNZIONE  
PLACA DE ACOPLAMIENTO  
PLATINE D'ASSEMBLAGE  
VERBINDERPLATTE





| Cod                | Note                                                                                                                                                | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.710.002</b> | For 40x40 and 45x45 profiles - Per profili 40x40 e 45x45 - Para perfiles 40x40 y 45x45 - Pour profilés 40x40 et 45x45 - Für Profile 40x40 und 45x45 | 88 |

**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl

**CONNECTION PLATE**


PIASTRA DI GIUNZIONE  
PLACA DE ACOPLAMIENTO  
PLATINE D'ASSEMBLAGE  
VERBINDERPLATTE



| Cod                | Note                                                                                                                                                | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.710.004</b> | For 40x40 and 45x45 profiles - Per profili 40x40 e 45x45 - Para perfiles 40x40 y 45x45 - Pour profilés 40x40 et 45x45 - Für Profile 40x40 und 45x45 | 132 |

**Galvanised steel**



Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl





### CONNECTION PLATE


PIASTRA DI GIUNZIONE  
PLACA DE ACOPLAMIENTO  
PLATINE D'ASSEMBLAGE  
VERBINDERPLATTE



| Cod                | Note                                                                                                                                                | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.710.001</b> | For 45x90 and 90x90 profiles - Per profili 45x90 e 90x90 - Para perfiles 45x90 y 90x90 - Pour profilés 45x90 et 90x90 - Für Profile 45x90 und 90x90 | 730 |

### Galvanised steel



Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**90° INNER CONNECTOR**

GIUNTO INTERNO  
UNIÓN INTERNA  
LIAISON ANTI-ROTATION  
INNENVERBINDER 90°


AC  
8  
45



| Cod                | Note                                                                                                                                                                               | g  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.307.018</b> | Screw and grub screw included - Completo di vite e grano - Tornillo y tornillo sin cabeza incluidos - Vis et vis sans tête fournies - Schraube und Stift im Lieferumfang enthalten | 28 |



**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl

**INNER CONNECTOR**

GIUNTO UNIONE PROFILI  
UNIÓN INTERNA  
LIAISON INTERNE  
INNENVERBINDER



AC  
8  
45



| Cod                | Note                                                                                                                                                               | g  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.307.029</b> | Connection with any angle - Giunzione con qualsiasi angolo - Acoplamiento con cualquier ángulo - Jonction avec tout angle - Verbindung mit jedem beliebigen Winkel | 50 |

**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl






### 45X45 JOINT DOUBLE REFERENCE

GIUNTO 45X45 DOPPIO RIFERIMENTO  
EMPALME 45X45 REFERENCIA DOBLE  
45X45 JONCTION DOUBLE RÉFÉRENCE  
45X45 DOPPELREFERENZGELENK


AC  
8  
45



| Cod         | Note                                                                                                                                                                                                                                       | g  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 800.029.101 | Suitable for strong and anti-rotation joints - Ideale per giunzioni robuste e antirrotazione - Ideal para juntas robustas y antirrotación - Idéal pour les joints robustes et anti-rotation - Ideal für robuste und verdrehsichere Gelenke | 45 |

#### Sandblasted aluminium


Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



### ORTHOGONAL JOINT

GIUNTO ORTOGONALE 45X45  
ARTICULACIÓN ORTOGONAL  
JOINT ORTHOGONAL  
ORTHOOGONALE VERBINDUNG


AC  
8  
45



| Cod         | Note                                                                                                                                                                                                                                       | g  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 800.029.102 | Suitable for strong and anti-rotation joints - Ideale per giunzioni robuste e antirrotazione - Ideal para juntas robustas y antirrotación - Idéal pour les joints robustes et anti-rotation - Ideal für robuste und verdrehsichere Gelenke | 40 |

#### Sandblasted aluminium



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



**45X90 JOINT DOUBLE REFERENCE**

GIUNTO 45X90 DOPPIO RIFERIMENTO  
EMPALME 45X90 REFERENCIA DOBLE  
45X90 JONCTION DOUBLE RÉFÉRENCE  
45X90 DOPPELREFERENZGELENK


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                      | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>800.029.106</b> | Suitable for strong and anti-rotation joints - Ideale per giunzioni robuste e antirotazione - Ideal para juntas robustas y antirrotación - Idéal pour les joints robustes et anti-rotation - Ideal für robuste und verdrehsichere Gelenke | 80 |



**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium

**45X90 ORTHOGONAL JOINT**

GIUNTO ORTOGONALE 45X90  
45X90 ARTICULACIÓN ORTOGONAL  
45X90 JOINT ORTHOGONAL  
45X90 ORTHOGONALE VERBINDUNG


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                                                                                       | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>800.029.108</b> | For strong and anti-rotation joints for vertical profiles - Per giunzioni robuste e antirotazione per profili in verticale - Para juntas robustas y antirrotación para perfiles verticales - Pour joints robustes et anti-rotation pour profilés verticaux - Für robuste und verdrehsichere Gelenke für senkrechte Profile | 68 |

**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium







### ADJUSTABLE JOINT 45X45

GIUNTO REGOLABILE 45X45  
EMPALME AJUSTABLE 45X45  
JONCTION RÉGLABLE 45X45  
VERSTELLGELENK 45X45



AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                                              | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>800.029.103</b> | Suitable for creating inclined support surfaces -<br>Ideale per realizzare piani di appoggio inclinati<br>- Ideal para crear superficies de soporte inclina-<br>das - Idéal pour créer des surfaces de support<br>inclinées - Ideal zum Erstellen von geneigten<br>Auflageflächen | 71 |

#### Sandblasted aluminium



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



### ADJUSTABLE JOINT 45X45

GIUNTO REGOLABILE 45X45  
EMPALME AJUSTABLE 45X45  
JONCTION RÉGLABLE 45X45  
VERSTELLGELENK 45X45



AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                                              | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>800.029.104</b> | Suitable for creating inclined support surfaces -<br>Ideale per realizzare piani di appoggio inclinati<br>- Ideal para crear superficies de soporte inclina-<br>das - Idéal pour créer des surfaces de support<br>inclinées - Ideal zum Erstellen von geneigten<br>Auflageflächen | 68 |

#### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium







AC  
8  
45

**ARTICULATED JOINT 45X45**

GIUNTO SNODATO 45X45  
EMPALME ARTICULADO 45X45  
JOINT ARTICULÉ 45X45  
VERBINDER MIT GELENK 45X45



| Cod                | Note                                                                                                                                          | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>115.311.013</b> | For round profile 45x45 - Per profilo 45x45 arro-<br>tondato - Para perfil redondo 45x45 - Pour profilé<br>rond 45x45 - Für rund Profil 45x45 | 221 |

**Sandblasted aluminium**



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





### 13X22 BRACKET


ANGOLARE 13X22  
ESCUADRA 13X22  
EQUERRE 13X22  
ALUWINKEL 13X22



| Cod                | Note                                                                                                                                                                                                                                          | g |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>084.305.006</b> | Assembly with M6x12 screws, not included -<br>Montaggio con viti M6x12 non incluse - Montaje<br>con tornillos M6x12, no incluidos - Montage avec<br>vis M6x12 non fournies - Montage mit Schrauben<br>M6x12 (nicht im Lieferumfang enthalten) | 6 |



#### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



### 18X18 BRACKET


ANGOLARE 18X18  
ESCUADRA 18X18  
EQUERRE 18X18  
ALUWINKEL 18X18



| Cod                | Note                                                                                                                                                                                                                                          | g |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>084.305.032</b> | Assembly with M5x12 screws, not included -<br>Montaggio con viti M5x12 non incluse - Montaje<br>con tornillos M5x12, no incluidos - Montage avec<br>vis M5x12 non fournies - Montage mit Schrauben<br>M5x12 (nicht im Lieferumfang enthalten) | 5 |

#### Sandblasted aluminium



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



| Cap - Tappo - Tapòn - Embout - Abdeck |     |   |     |
|---------------------------------------|-----|---|-----|
|                                       |     |   |     |
| Cod                                   | Mat | g | Col |
| <b>084.206.007</b>                    | PA  | 3 | ■   |
| <b>084.206.007G</b>                   | PA  | 3 | ■   |

**25X80 CARBOSIX ANGLE**



ANGOLARE CARBOSIX 25X80  
 ÁNGULO CARBOSIX 25X80  
 CORNIÈRE CARBOSIX 25X80  
 CARBOSIX WINKELSTÜCK 25X80




| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.044</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 63 |

**Sandblasted aluminium**


Alluminio sabbiato  
 Aluminio arenado  
 Aluminium sablé  
 Sandgestrahltes Aluminium

**25X80 CARBOSIX ANGLE**

ANGOLARE CARBOSIX 25X80  
 ÁNGULO CARBOSIX 25X80  
 CORNIÈRE CARBOSIX 25X80  
 CARBOSIX WINKELSTÜCK 25X80

**NEW**



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.305.060</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 31 |

**IXEF**



### 27X27 BRACKET


ANGOLARE 27X27  
ESCUADRA 27X27  
EQUERRE 27X27  
ALUWINKEL 27X27



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.010</b> | Assembly with M6x16 screws, not included -<br>Montaggio con viti M6x16 non incluse - Montaje<br>con tornillos M6x16, no incluidos - Montage avec<br>vis M6x16 non fournies - Montage mit Schrauben<br>M6x16 (nicht im Lieferumfang enthalten) | 29 |

### Sandblasted aluminium



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



| Cap - Tappo - Tapòn - Embout - Abdeck |     |   |     |
|---------------------------------------|-----|---|-----|
|                                       |     |   |     |
| Cod                                   | Mat | g | Col |
| <b>084.206.008</b>                    | PA  | 6 | ■   |
| <b>084.206.008G</b>                   | PA  | 6 | ■   |

### 27X27 BRACKET


ANGOLARE 27X27  
ESCUADRA 27X27  
EQUERRE 27X27  
ALUWINKEL 27X27



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.036</b> | Assembly with M6x16 screws, not included -<br>Montaggio con viti M6x16 non incluse - Montaje<br>con tornillos M6x16, no incluidos - Montage avec<br>vis M6x16 non fournies - Montage mit Schrauben<br>M6x16 (nicht im Lieferumfang enthalten) | 19 |

### Sandblasted aluminium



Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



| Cap - Tappo - Tapòn - Embout - Abdeck |     |   |     |
|---------------------------------------|-----|---|-----|
|                                       |     |   |     |
| Cod                                   | Mat | g | Col |
| <b>084.206.008</b>                    | PA  | 6 | ■   |
| <b>084.206.008G</b>                   | PA  | 6 | ■   |

**27X59 BRACKET**


ANGOLARE 27X59  
ESCUADRA 27X59  
EQUERRE 27X59  
ALUWINKEL 27X59





| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.007</b> | Assembly with M6x16 screws, not included -<br>Montaggio con viti M6x16 non incluse - Montaje<br>con tornillos M6x16, no incluidos - Montage avec<br>vis M6x16 non fournies - Montage mit Schrauben<br>M6x16 (nicht im Lieferumfang enthalten) | 46 |

**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium

**18X40 BRACKET**


ANGOLARE 18X40  
ESCUADRA 18X40  
EQUERRE 18X40  
ALUWINKEL 18X40




| Cod                | Note                                                                                                                                                                                                                             | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.001</b> | Assembly with M6 screws, not included - Montag-<br>gio con viti M6 non incluse - Montaje con tornillos<br>M6, no incluidos - Montage avec vis M6 non<br>fournies - Montage mit Schrauben M6 (nicht im<br>Lieferumfang enthalten) | 20 |

**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





| Cap - Tappo - Tapòn - Embout - Abdeck                                                 |     |                                                                                       |     |
|---------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|-----|
|  |     |  |     |
| Cod                                                                                   | Mat | g                                                                                     | Col |
| <b>084.206.001</b>                                                                    | PA  | 3                                                                                     | ■   |
| <b>084.206.001G</b>                                                                   | PA  | 3                                                                                     | ■   |



### 18X40 BRACKET


ANGOLARE 18X40  
ESCUADRA 18X40  
EQUERRE 18X40  
ALUWINKEL 18X40



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.041</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 20 |

### Sandblasted aluminium


Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



| Cap - Tappo - Tapòn - Embout - Abdeck |     |   |     |
|---------------------------------------|-----|---|-----|
|                                       |     |   |     |
| Cod                                   | Mat | g | Col |
| <b>084.206.001</b>                    | PA  | 3 | ■   |
| <b>084.206.001G</b>                   | PA  | 3 | ■   |

### 25X40 BRACKET


ANGOLARE 25X40  
ESCUADRA 25X40  
EQUERRE 25X40  
ALUWINKEL 25X40



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.305.002</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 30 |

### Sandblasted aluminium


Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium




| Cap - Tappo - Tapòn - Embout - Abdeck |     |   |     |
|---------------------------------------|-----|---|-----|
|                                       |     |   |     |
| Cod                                   | Mat | g | Col |
| <b>084.206.002</b>                    | PA  | 4 | ■   |
| <b>084.206.002G</b>                   | PA  | 4 | ■   |


**25X40 BRACKET**

ANGOLARE 18X40  
ESCUADRA 25X40  
EQUERRE 25X40  
ALUWINKEL 25X40

**NEW**



| Cod                | Note                                                                                                                                                                                                                                          | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.305.059</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 17 |

**IXEF**

| Cap - Tappo - Tapòn - Embout - Abdeck                                               |     |                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|-----|
|  |     |  |     |
| Cod                                                                                 | Mat | g                                                                                   | Col |
| <b>084.206.002</b>                                                                  | PA  | 4                                                                                   | ■   |
| <b>084.206.002G</b>                                                                 | PA  | 4                                                                                   | ■   |

**43X86 BRACKET**


ANGOLARE 43X86  
ESCUADRA 43X86  
EQUERRE 43X86  
ALUWINKEL 43X86




| Cod                | Note                                                                                                                                                                                                                                          | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.305.033</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 160 |

**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





| Cap - Tappo - Tapòn - Embout - Abdeck                                                 |     |                                                                                       |     |
|---------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|-----|
|  |     |  |     |
| Cod                                                                                   | Mat | g                                                                                     | Col |
| <b>084.206.005</b>                                                                    | PA  | 34                                                                                    | ■   |



### 43X86 BRACKET


ANGOLARE 43X86  
ESCUADRA 43X86  
EQUERRE 43X86  
ALUWINKEL 43X86




| Cod                | Note                                                                                                                                                                                                                                          | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.305.027</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 162 |

### Sandblasted aluminium


Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



| Cap - Tappo - Tapòn - Embout - Abdeck                                               |                                                                                     |    |     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----|-----|
|  |  |    |     |
| Cod                                                                                 | Mat                                                                                 | g  | Col |
| <b>084.206.005</b>                                                                  | PA                                                                                  | 34 | ■   |

### 86X86 BRACKET


ANGOLARE 86X86  
ESCUADRA 86X86  
EQUERRE 86X86  
ALUWINKEL 86X86




| Cod                | Note                                                                                                                                                                                                                                          | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.305.034</b> | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 350 |

### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





| Cap - Tappo - Tapòn - Embout - Abdeck                                                 |                                                                                       |    |     |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----|-----|
|  |  |    |     |
| Cod                                                                                   | Mat                                                                                   | g  | Col |
| <b>084.206.006</b>                                                                    | PA                                                                                    | 30 | ■   |



**86X86 BRACKET**


ANGOLARE 86X86  
ESCUADRA 86X86  
EQUERRE 86X86  
ALUWINKEL 86X86




| Cod         | Note                                                                                                                                                                                                                                          | g   |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 084.305.029 | Assembly with M8x20 screws, not included -<br>Montaggio con viti M8x20 non incluse - Montaje<br>con tornillos M8x20, no incluidos - Montage avec<br>vis M8x20 non fournies - Montage mit Schrauben<br>M8x20 (nicht im Lieferumfang enthalten) | 334 |

**Sandblasted aluminium**

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





| Cap - Tappo - Tapòn - Embout - Abdeck                                               |     |                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|-----|
|  |     |  |     |
| Cod                                                                                 | Mat | g                                                                                   | Col |
| 084.206.006                                                                         | PA  | 30                                                                                  | ■   |



### FLANGE FOR WHEEL

FLANGIA PER RUOTA  
BRIDA PARA RUEDA  
BRIDE POUR ROUE  
FLANSCH FÜR RAD


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                                                     | g   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>800.029.121</b> | For profile 45x90 for fixing wheels with plate -<br>Per profilo 45x90 per fissaggio ruote con piastra<br>- Para perfil 45x90 para fijar ruedas con placa<br>- Pour le profil 45x90 pour la fixation des roues<br>avec plaque - Für Profil 45x90 zur Befestigung von<br>Rädern mit Platte | 190 |

#### Anodised aluminium



Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium



### FLANGE FOR FEET

FLANGIA PER PIEDINI  
BRIDA PARA PIES  
BRIDE POUR PIEDS  
FLANSCH FÜR FÜSSE


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                         | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>800.029.122</b> | For profile 45 x 90 for fixing feet M16 - Per profilo<br>45 x 90 per fissaggio piedini M16 - Para perfil 45 x<br>90 para la fijación de pies M16 - Pour le profil 45 x<br>90 pour la fixation des pieds M16 - Für Profil 45 x<br>90 für Befestigungsfüße M16 | 150 |

#### Anodised aluminium



Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium



**FLANGE FOR FEET**

FLANGIA PER PIEDINI  
BRIDA PARA PIES  
BRIDE POUR PIEDS  
FLANSCH FÜR FÜSSE


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                      | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>800.029.123</b> | For corner supports with wheel or with M16 foot<br>- Per supporti d'angolo con ruota o con piedino M16 - Para soportes de esquina con rueda o con pie M16 - Pour les supports d'angle avec roue ou avec pied M16 - Für Eckhalter mit Rad oder mit Fuß M16 | 240 |



**Anodised aluminium**

Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium

**CROSS-JOINTED FLANGE**

FLANGIA GIUNZIONI A CROCE  
BRIDA CRUZADA  
BRIDE CROISEE  
KREUZGELENK-FLANSCH


AC  
8  
45



| Cod                | Note                                                                                                                                                                                                                                                                            | g   |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>800.029.124</b> | For intermediate supports with wheel or with M16 feet - Per supporti intermedi con ruota o con piedini M16 - Para soportes intermedios con rueda o con pies M16 - Pour les supports intermédiaires avec roue ou avec pieds M16 - Für Zwischenstützen mit Rad oder mit M16 Füßen | 440 |

**Anodised aluminium**


Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium





### CORNER BRACE



RINFORZO ANGOLARE  
REFUERZO ANGULAR  
RENFORT D'ANGLE  
WINKELFÖRMIGE VERSTÄRKUNG



| Cod                | Note                                                                                                                                                                                                                                                       | g   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.406.001</b> | To fasten to the structure with two M8x40 screws<br>- Da fissare alla struttura con due viti M8x40 - Se fija a la estructura con dos tornillos M8x40 - À fixer à la structure avec deux vis M8x40 - Mit zwei Schrauben M8x40 an der Struktur zu befestigen | 720 |


### Anodised aluminium

Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium



**ANTI-SLIP LEVELLING SWIVEL FEET**


PIEDI SNODATI ANTIVIBRANTI  
 PIES ARTICULADOS ANTIVIBRACIÓN  
 PIEDS ARTICULÉS ANTI-VIBRATION  
 GELENKSTELLFÜSSE MIT ANTI-SLIP PLATTE



| Cod                | Kg  | D  | d   | A  | B  | C  | E | F | Ch | g  |
|--------------------|-----|----|-----|----|----|----|---|---|----|----|
| <b>084.401.004</b> | 450 | 40 | M6  | 65 | 18 | 47 | - | - | -  | 26 |
| <b>084.401.001</b> | 900 | 40 | M8  | 68 | 23 | 45 | - | - | 6  | 29 |
| <b>084.401.002</b> | 900 | 50 | M8  | 88 | 23 | 65 | - | - | 6  | 39 |
| <b>084.401.003</b> | 900 | 50 | M10 | 95 | 25 | 70 | - | - | 8  | 55 |

**Black polyamide and galvanised steel**

Poliammide nero e acciaio zincato  
 Poliamida color negro y acero galvanizado  
 Polyamide noir et acier zingué  
 Schwarzes Polyamid und verzinkter Stahl






### ANTI-SLIP LEVELLING SWIVEL FEET

PIEDI SNODATI ANTIVIBRANTI

PIES ARTICULADOS ANTIVIBRACIÓN

PIEDS ARTICULÉS ANTI-VIBRATION

GELENKSTELLFÜSSE MIT ANTI-SLIP PLATTE



| Cod                | Kg   | D   | d   | A   | B  | C   | E  | F    | Ch | g   |
|--------------------|------|-----|-----|-----|----|-----|----|------|----|-----|
| <b>084.402.001</b> | 1000 | 80  | M8  | 74  | 29 | 45  | 54 | 9    | 6  | 53  |
| <b>084.402.002</b> | 1000 | 80  | M10 | 101 | 31 | 70  | 54 | 9    | 8  | 75  |
| <b>084.402.003</b> | 1000 | 80  | M12 | 96  | 33 | 63  | 54 | 9    | 10 | 88  |
| <b>084.402.004</b> | 1000 | 80  | M16 | 97  | 37 | 60  | 54 | 9    | 13 | 141 |
| <b>084.402.008</b> | 1000 | 100 | M16 | 165 | 40 | 125 | 74 | 9    | 13 | 240 |
| <b>084.402.005</b> | 2200 | 100 | M16 | 195 | 40 | 155 | 74 | 10,5 | 13 | 293 |
| <b>084.402.006</b> | 2200 | 100 | M20 | 130 | 44 | 86  | 74 | 10,5 | 17 | 303 |

### Black polyamide and galvanised steel

Poliammide nero e acciaio zincato

Poliamida color negro y acero galvanizado


Polyamide noir et acier zingué

Schwarzes Polyamid und verzinkter Stahl



**ANTI-SLIP PLATES**

ANTIVIBRANTI  
PLACAS ANTIDESLIZANTES  
PASTILLES ANTI-VIBRATION  
ANTI-SLIP PLATTEN



| Cod                | Note  | g  |
|--------------------|-------|----|
| <b>084.403.001</b> | Ø 40  | 6  |
| <b>084.403.002</b> | Ø 50  | 12 |
| <b>084.403.003</b> | Ø 80  | 36 |
| <b>084.403.004</b> | Ø 100 | 63 |

**Black oil-resistant synthetic rubber**



Gomma sintetica antiolio nera  
Goma sintética antiaceite color negro  
Caoutchouc synthétique anti-huile noir  
Ölbeständiger Synthesekautschuk schwarz



## FLOOR MOUNT BASE

BASE A PAVIMENTO  
BASE DE ANCLAJE  
EMBASE DE FIXATION  
PFOSTENKONSOLE


AC  
8  
45



| Cod                | Note     | g   |
|--------------------|----------|-----|
| <b>084.409.002</b> | 45x45 mm | 562 |

### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





| Cap - Tappo - Tapòn - Embout - Abdeck |     |     |     |
|---------------------------------------|-----|-----|-----|
|                                       |     |     |     |
| Cod                                   | Mat | g   | Col |
| <b>084.207.003</b>                    | PA  | 100 | ■   |

## FLOOR MOUNT BASE

BASE A PAVIMENTO  
BASE DE ANCLAJE  
EMBASE DE FIXATION  
PFOSTENKONSOLE


AC  
8  
45



| Cod                | Note                           | g   |
|--------------------|--------------------------------|-----|
| <b>084.409.003</b> | 45x90 mm, 45x135 mm, 45x180 mm | 672 |

### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium







AC  
8  
45

FLOOR MOUNT BASE


BASE A PAVIMENTO  
BASE DE ANCLAJE  
EMBASE DE FIXATION  
PFOSTENKONSOLE



| Cod         | Note                | g    |
|-------------|---------------------|------|
| 084.409.011 | 90x90 mm, 90x180 mm | 2300 |

Sandblasted aluminium


Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium





### SWIVEL CASTOR

RUOTA GIREVOLE  
RUEDA GIRATORIA  
ROULETTE PIVOTANTE  
LENKROLLE



| Cod                | Note                                                                                                                                                   | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.001</b> | Central screw fastening - Fissaggio a vite centrale - Fijación con tornillo central - Fixation à vis centrale - Befestigung mittels mittlerer Schraube | 228 |


### Rubber wheel

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**50 Kg**


### Chromed steel bracket

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl



### SWIVEL CASTOR

RUOTA GIREVOLE  
RUEDA GIRATORIA  
ROULETTE PIVOTANTE  
LENKROLLE



| Cod                | Note                                                                                                         | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.006</b> | Flange fastening - Fissaggio a flangia - Fijación con brida - Fixation à bride - Befestigung mittels Flansch | 330 |


### Rubber wheel

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**50 Kg**


### Chromed steel bracket

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl



**SWIVEL CASTOR WITH BRAKE**

RUOTA GIREVOLE CON FRENO  
RUEDA GIRATORIA CON FRENO  
ROULETTE PIVOTANTE AVEC FREIN  
LENKROLLE MIT FESTSTELLER




| Cod                | Note                                                                                                                                                                                                 | g   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.003</b> | Central screw fastening and brake - Fissaggio a vite centrale e freno - Fijación con tornillo central y freno - Fixation à vis centrale et frein - Befestigung mittels mittlerer Schraube und Bremse | 330 |

**Rubber wheel**


Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**50 Kg****Chromed steel bracket**

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl

**SWIVEL CASTOR WITH BRAKE**

RUOTA GIREVOLE CON FRENO  
RUEDA GIRATORIA CON FRENO  
ROULETTE PIVOTANTE AVEC FREIN  
LENKROLLE MIT FESTSTELLER




| Cod                | Note                                                                                                                                                       | g   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.008</b> | Flange fastening and brake - Fissaggio a flangia e freno - Fijación con brida y freno - Fixation à bride et frein - Befestigung mittels Flansch und Bremse | 400 |

**Rubber wheel**

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**50 Kg****Chromed steel bracket**

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl







### FIXED CASTOR

RUOTA FISSA

RUEDA FIJA

ROULETTE À PLATINE

BOCKROLLE



| Cod                | Note                                                                                                         | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.007</b> | Flange fastening - Fissaggio a flangia - Fijación con brida - Fixation à bride - Befestigung mittels Flansch | 260 |

### Rubber wheel

Ruota in gomma

Rueda de goma

Roue en caoutchouc

Rad aus Gummi

**50 Kg**


### Chromed steel bracket

Supporto in acciaio cromato

Soporte de acero cromado


Support en acier chromé

Halterung aus verchromtem Stahl



**SWIVEL CASTOR**

RUOTA GIREVOLE  
RUEDA GIRATORIA  
ROULETTE PIVOTANTE  
LENKROLLE




| Cod                | Note                                                                                                         | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.002</b> | Flange fastening - Fissaggio a flangia - Fijación con brida - Fixation à bride - Befestigung mittels Flansch | 427 |

**Rubber wheel**


Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**55 Kg****Chromed steel bracket**

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl

**SWIVEL CASTOR WITH BRAKE**

RUOTA GIREVOLE CON FRENO  
RUEDA GIRATORIA CON FRENO  
ROULETTE PIVOTANTE AVEC FREIN  
LENKROLLE MIT FESTSTELLER




| Cod                | Note                                                                                                                                                       | g   |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.004</b> | Flange fastening and brake - Fissaggio a flangia e freno - Fijación con brida y freno - Fixation à bride et frein - Befestigung mittels Flansch und Bremse | 487 |

**Rubber wheel**

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**55 Kg****Chromed steel bracket**





Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl





### FIXED CASTOR

RUOTA FISSA  
RUEDA FIJA  
ROULETTE À PLATINE  
BOCKROLLE



| Cod                | Note                                                                                                         | g   |
|--------------------|--------------------------------------------------------------------------------------------------------------|-----|
| <b>084.404.009</b> | Flange fastening - Fissaggio a flangia - Fijación con brida - Fixation à bride - Befestigung mittels Flansch | 400 |


### Rubber wheel

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi

**55 Kg**

### Chromed steel bracket


Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl





**SWIVEL CASTOR WITH BRAKE**


RUOTA GIREVOLE CON FRENO  
RUEDA GIRATORIA CON FRENO  
ROULETTE PIVOTANTE AVEC FREIN  
LENKROLLE MIT FESTSTELLER



| Cod         | Note                                                                                                                                                                           | g    |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 084.404.005 | Fastening with M16 pin and brake - Fissaggio con perno M16 e freno - Fijación con perno M16 y freno - Fixation avec pivot M16 et frein - Befestigung mit Bolzen M16 und Bremse | 1500 |

**Rubber wheel**

Ruota in gomma  
Rueda de goma  
Roue en caoutchouc  
Rad aus Gummi  
**180 Kg**





**Chromed steel bracket**

Supporto in acciaio cromato  
Soporte de acero cromado  
Support en acier chromé  
Halterung aus verchromtem Stahl



### ADJUSTABLE FASTENER BLOCK


BLOCCHETTO DI FISSAGGIO REGOLABILE  
BLOQUE DE FIJACIÓN REGULABLE  
BLOC DE FIXATION RÉGLABLE  
EINSTELLBARER BEFESTIGUNGSBLOCK



| Cod                | Note                                                                                                                               | g  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.507.001</b> | Panel thickness 1-8 mm - Spessore pannelli 1-8 mm - Grosor de los paneles 1-8 mm - Épaisseur panneaux 1-8 mm - Plattendicke 1-8 mm | 10 |



### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



### QUICK FASTENER BLOCK


BLOCCHETTO DI FISSAGGIO RAPIDO  
BLOQUE DE FIJACIÓN RÁPIDO  
BLOC DE FIXATION RAPIDE  
SCHNELLBEFESTIGUNGSBLOCK



| Cod                | Note                                                                                                                               | g |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>084.508.001</b> | Panel thickness 1-5 mm - Spessore pannelli 1-5 mm - Grosor de los paneles 1-5 mm - Épaisseur panneaux 1-5 mm - Plattendicke 1-5 mm | 7 |



### Grey polyamide

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau



**GLASS RETENTION BLOCK**


BLOCCHETTO FERMAVETRO  
BLOQUE SUJETA-CRISTAL  
BLOC DE FIXATION VERRE  
SCHEIBENSTOPPERBLOCK




| Cod                | Note                                                                                                                               | g |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>084.509.001</b> | Panel thickness 1-8 mm - Spessore pannelli 1-8 mm - Grosor de los paneles 1-8 mm - Épaisseur panneaux 1-8 mm - Plattendicke 1-8 mm | 4 |

**Grey polyamide**

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau

**GLASS RETENTION WASHER**


RONDELLA FERMAVETRO  
ARANDELA SUJETA-CRISTAL  
RONDELLE DE FIXATION VERRE  
SCHEIBENSTOPPERRING



| Cod                | Note                                                                                      | g |
|--------------------|-------------------------------------------------------------------------------------------|---|
| <b>084.509.002</b> | For 084.509.001 - Per 084.509.001 - Para 084.509.001 - Pour 084.509.001 - Für 084.509.001 | 1 |

**Grey polyamide**



Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau





### FASTENER BLOCK


BLOCCHETTO DI FISSAGGIO  
BLOQUE DE FIJACIÓN  
BLOC DE FIXATION  
BEFESTIGUNGSBLOCK



| Cod                | Note                                                                                                                               | g  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.510.001</b> | Panel thickness 1-8 mm - Spessore pannelli 1-8 mm - Grosor de los paneles 1-8 mm - Épaisseur panneaux 1-8 mm - Plattendicke 1-8 mm | 10 |



### Black polyamide

Poliammide nero  
Poliamida color negro  
Polyamide noir  
Polyamid schwarz



### SPACER FOR 084.510.001


DISTANZIALE PER 084.510.001  
DISTANCIADOR PARA 084.510.001  
ENTRETOISE POUR 084.510.001  
Distanzstück für 084.510.001



| Cod                | Note | g |
|--------------------|------|---|
| <b>084.510.002</b> | 2 mm | 1 |
| <b>084.510.003</b> | 3 mm | 1 |
| <b>084.510.004</b> | 5 mm | 2 |

### Black polyamide



Poliammide nero  
Poliamida color negro  
Polyamide noir  
Polyamid schwarz



**FASTENER BLOCK**

BLOCCHETTO DI FISSAGGIO  
BLOQUE DE FIJACIÓN  
BLOC DE FIXATION  
BEFESTIGUNGSBLOCK


AC  
8  
45





| Cod                | Note                                                                                                        | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------|----|
| <b>084.510.007</b> | Complete with M6 nut - Completo di dado M6 - Incluye tuerca M6 - Doté d'écrou M6 - Einschließlich Mutter M6 | 10 |

**Grey polyamide**

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau

**SPACER FOR 084.510.006 AND 084.510.007**


DISTANZIALE PER 084.510.006 E 084.510.007  
DISTANCIADOR PARA 084.510.006 Y 084.510.007  
ENTRETOISE POUR 084.510.006 ET 084.510.007  
DISTANZSTÜCK FÜR 084.510.006 UND 084.510.007



| Cod                | Note | g |
|--------------------|------|---|
| <b>084.510.010</b> | 2 mm | 1 |
| <b>084.510.011</b> | 3 mm | 1 |
| <b>084.510.012</b> | 5 mm | 2 |

**Grey polyamide**

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau






### FASTENER BLOCK

BLOCCHETTO DI FISSAGGIO  
BLOQUE DE FIJACIÓN  
BLOC DE FIXATION  
BEFESTIGUNGSBLOCK



AC  
8  
45



| Cod                | Note                                                                                                                                                               | g  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.519.003</b> | For RH removable panels - Per pannelli estraibili destra - Para paneles extraíbles derecha - Pour panneaux extractibles droite - Für herausziehbare Platten rechts | 33 |

### Grey polyamide


Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau



### FASTENER BLOCK

BLOCCHETTO DI FISSAGGIO  
BLOQUE DE FIJACIÓN  
BLOC DE FIXATION  
BEFESTIGUNGSBLOCK



AC  
8  
45



| Cod                | Note                                                                                                                                                                  | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.519.004</b> | For LH removable panels - Per pannelli estraibili sinistra - Para paneles extraíbles izquierda - Pour panneaux extractibles gauche - Für herausziehbare Platten links | 33 |

### Grey polyamide

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau




**MULTI-USE**


MULTIUSO  
MULTIUSO  
MULTIFONCTION  
MEHRZWECKELEMENT

AC  
8  
45

| Cod                | Note    | g   |
|--------------------|---------|-----|
| <b>084.514.001</b> | L = 2 m | 605 |

**Black polythene**


Polietilene nero  
Polietileno color negro  
Polyéthylène noir  
Polyethylen schwarz

**MULTI-USE**


MULTIUSO  
MULTIUSO  
MULTIFONCTION  
MEHRZWECKELEMENT

AC  
8  
45

| Cod                | Note    | g   |
|--------------------|---------|-----|
| <b>084.514.015</b> | L = 2 m | 390 |

**Black polythene**

Polietilene nero  
Polietileno color negro  
Polyéthylène noir  
Polyethylen schwarz







**MULTI-USE**

MULTIUSO  
MULTIUSO  
MULTIFONCTION  
MEHRZWECKELEMENT


AC  
8  
45

| Cod         | Note    | g   |
|-------------|---------|-----|
| 084.514.002 | L = 2 m | 718 |



**Black polythene**



Polietilene nero  
Polietileno color negro  
Polyéthylène noir  
Polyethylen schwarz



**ALUMINIUM HINGE**

CERNIERA IN ALLUMINIO  
BISAGRA DE ALUMINIO  
CHARNIÈRE EN ALUMINIUM  
ALUMINIUMSCHARNIER

AC  
8  
45




| Cod                | Note                                                                                                                                                                                      | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.502.003</b> | Screws M6x20 DIN 7984 not included - Viti M6x20 DIN 7984 non incluse - Tornillos M6x20 DIN 7984 no incluidos - Vis M6x20 DIN 7984 non fournies - Schrauben M6x20 DIN 7984 nicht inklusive | 86 |

**Anodised aluminium**


Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium

**AISI 303 stainless-steel pin, Ø5 mm**

Perno acciaio inox AISI 303 Ø5  
Perno de acero inoxidable AISI 303 Ø5  
Pivot acier inox AISI 303 Ø5  
Bolzen aus rostfreiem Stahl AISI 303 Ø5

**ALUMINIUM HINGE**

CERNIERA IN ALLUMINIO  
BISAGRA DE ALUMINIO  
CHARNIÈRE EN ALUMINIUM  
ALUMINIUMSCHARNIER




| Cod                | Note                                                                                                                                                                                      | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.500.003</b> | M6x20 DIN 7984 screws not included - Viti M6x20 DIN 7984 non incluse - Tornillos M6x20 DIN 7984 no incluidos - Vis M6x20 DIN 7984 non fournies - Schrauben M6x20 DIN 7984 nicht inklusive | 99 |

**Anodised aluminium**

Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium

**AISI 303 stainless-steel pin, Ø8 mm**


Perno acciaio inox AISI 303 Ø8  
Perno de acero inoxidable AISI 303 Ø8  
Pivot acier inox AISI 303 Ø8  
Bolzen aus rostfreiem Stahl AISI 303 Ø8





## ALUMINIUM HINGE

CERNIERA IN ALLUMINIO  
BISAGRA DE ALUMINIO  
CHARNIÈRE EN ALUMINIUM  
ALUMINIUMSCHARNIER




| Cod                | Note                                                                                                                                                                                      | g   |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.500.006</b> | M6x20 DIN 7984 screws not included - Viti M6x20 DIN 7984 non incluse - Tornillos M6x20 DIN 7984 no incluidos - Vis M6x20 DIN 7984 non fournies - Schrauben M6x20 DIN 7984 nicht inklusive | 180 |

### Anodised aluminium

Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium



### AISI 303 stainless-steel pin, Ø8 mm

Perno acciaio inox AISI 303 Ø8  
Perno de acero inoxidable AISI 303 Ø8  
Pivot acier inox AISI 303 Ø8  
Bolzen aus rostfreiem Stahl AISI 303 Ø8



## ALUMINIUM HINGE

CERNIERA IN ALLUMINIO  
BISAGRA DE ALUMINIO  
CHARNIÈRE EN ALUMINIUM  
ALUMINIUMSCHARNIER




| Cod                | Note                                                                                                                                                                                      | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.500.010</b> | M6x20 UNI 5933 screws not included - Viti M6x20 UNI 5933 non incluse - Tornillos M6x20 UNI 5933 no incluidos - Vis M6x20 UNI 5933 non fournies - Schrauben M6x20 UNI 5933 nicht inklusive | 85 |

### Anodised aluminium

Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium

### AISI 303 stainless-steel pin, Ø8 mm



Perno acciaio inox AISI 303 Ø8  
Perno de acero inoxidable AISI 303 Ø8  
Pivot acier inox AISI 303 Ø8  
Bolzen aus rostfreiem Stahl AISI 303 Ø8





**POLYAMIDE HINGE**

CERNIERA IN POLIAMMIDE  
BISAGRA DE POLIAMIDA  
CHARNIÈRE EN POLYAMIDE  
POLYAMIDSCHARNIER




| Cod                | Note                                                                                                                                                                                      | g  |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.501.010</b> | M8x20 DIN 7984 screws not included - Viti M8x20 DIN 7984 non incluse - Tornillos M8x20 DIN 7984 no incluidos - Vis M8x20 DIN 7984 non fournies - Schrauben M8x20 DIN 7984 nicht inklusive | 39 |

**Black polyamide**

Poliammide nero  
Poliamida color negro  
Polyamide noir  
Schwarzes Polyamid


**AISI 303 stainless-steel pin, Ø5 mm**

Perno acciaio inox AISI 303 Ø5  
Perno de acero inoxidable AISI 303 Ø5  
Pivot acier inox AISI 303 Ø5  
Bolzen aus rostfreiem Stahl AISI 303 Ø5







**HANDLE**  
MANIGLIA  
ASIDERO  
POIGNÉE  
GRIFF




| Cod                | Note | d    | A   | D  | B      | s    | g  |
|--------------------|------|------|-----|----|--------|------|----|
| <b>084.504.001</b> | -    | 6,50 | 108 | 38 | 93     | 21   | 26 |
| <b>084.504.002</b> | -    | 9    | 129 | 44 | 112,5  | 28   | 34 |
| <b>084.504.003</b> | -    | 9    | 146 | 44 | 128,50 | 28,5 | 37 |

**Black polyamide**  
Poliammide nero  
Poliamida color negro  
Polyamide noir  
Schwarzes Polyamid




**HANDLE**  
MANIGLIA  
ASIDERO  
POIGNÉE  
GRIFF





| Cod                | Note                                                                                          | g    |
|--------------------|-----------------------------------------------------------------------------------------------|------|
| <b>013.506.009</b> | Inclined handle - Maniglia inclinata - Asidero inclinado - Poignée inclinée - Geneigter Griff | 42,6 |


**PA6+GF, RAL 7023**





| Cap - Tappo - Tapòn - Embout - Abdeck |       |    |     |
|---------------------------------------|-------|----|-----|
|                                       |       |    |     |
| Cod                                   | Mat   | g  | Col |
| <b>013.506.010A</b>                   | PA6GF | 10 | ■   |
| <b>013.506.010G</b>                   | PA6GF | 10 | ■   |


**HANDLE**  
 MANIGLIA  
 ASIDERO  
 POIGNÉE  
 GRIFF




| Cod                | Note                                                                                          | g    |
|--------------------|-----------------------------------------------------------------------------------------------|------|
| <b>013.506.008</b> | Inclined handle - Maniglia inclinata - Asidero inclinado - Poignée inclinée - Geneigter Griff | 47,1 |

**PA6+GF, RAL 7023**


| Cap - Tappo - Tapòn - Embout - Abdeck                                               |       |    |                                                                                       |
|-------------------------------------------------------------------------------------|-------|----|---------------------------------------------------------------------------------------|
|  |       |    |                                                                                       |
| Cod                                                                                 | Mat   | g  | Col                                                                                   |
| <b>013.506.010A</b>                                                                 | PA6GF | 10 |   |
| <b>013.506.010G</b>                                                                 | PA6GF | 10 |  |

**HANDLE**  
 MANIGLIA  
 ASIDERO  
 POIGNÉE  
 GRIFF




| Cod                | Note                                                                                                                                                                                                       | g  |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.011</b> | D-handle with orange inserts - Maniglia a ponte con inserti arancioni - Asidero en forma de puente con insertos naranjas - Poignée à pont avec inserts oranges - Brückengriff mit orangefarbenen Einsätzen | 29 |

**Black polyamide**  
 Poliammide nero  
 Poliamida color negro  
 Polyamide noir  
 Schwarzes Polyamid




# **HANDLE**


MANIGLIA  
ASIDERO  
POIGNÉE  
GRIFF



| Cod          | Note | g  |
|--------------|------|----|
| 084.506.005A |      | 46 |
| 084.506.005B |      | 46 |
| 084.506.005N |      | 46 |


## **Black polyamide**

Poliammide nero  
Poliamida color negro  
Polyamide noir  
Schwarzes Polyamid



# **HANDLE**


MANIGLIA  
ASIDERO  
POIGNÉE  
GRIFF



| Cod         | Note                                      | g  |
|-------------|-------------------------------------------|----|
| 084.506.008 | Open - Aperta - Abierta - Ouverte - Offen | 25 |



## **RAL 7023 polyamide**

Poliammide RAL 7023  
Poliamida color RAL 7023  
Polyamide RAL 7023  
Polyamid RAL 7023



**SPRING HANDLE**

MANIGLIA A MOLLA  
ASIDERO DE RESORTE  
POIGNÉE À RESSORT  
GRIFF MIT FEDER




| Cod                | Note                                                                                                                                                                                                                  | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.506.003</b> | Suitable for sliding door closing - Adatta all'aggancio di sportelli scorrevoli - Apta para el enganche de puertas corredizas - Adaptée à la fixation de volets coulissants - Zum Schließen von Schiebetüren geeignet | 185 |

**Grey polyamide**

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau

**Black painted aluminium**

Alluminio verniciato nero  
Aluminio barnizado en negro  
Aluminium peint noir  
Aluminium schwarz lackiert






**HANDLE**  
MANIGLIA  
ASIDERO  
POIGNÉE  
GRIFF

AC  
8  
45

| Cod         | Note                                                                                                        | g/m |
|-------------|-------------------------------------------------------------------------------------------------------------|-----|
| 084.506.004 | Aluminium handle - Maniglia in alluminio - Asidero de aluminio - Poignée en aluminium - Griff aus Aluminium | 830 |





**Anodised aluminium and black polyamide**

Alluminio Anodizzato e poliammide nero  
Aluminio anodizado y poliamida color negro  
Aluminium anodisé et polyamide noir  
Eloxiertes Aluminium und Polyamid grau

**L=6040 mm**

**Natural colour**


Colore naturale  
Color natural  
Couleur naturelle  
Natürliche Farbe



**CODE FOR ORDER**

CODICE PER ORDINE / CÓDIGO PARA PEDIR  
CODE POUR ORDRE / TEIL NR. ZUR BESTELLUNG

084.506.004





**L profile lenght (mm)**  
L lunghezza profilo (mm)  
L longitud del perfil (mm)  
L longueur du profilé (mm)  
L Profillänge (mm)

**HANDLE PROFILE**

PROFILO MANIGLIA  
PERFILE MANIJA  
PROFIL DE POIGNÉE  
PROFIL DE POIGNÉE

AC  
8  
45




| Cod                 | Note                                                                                                                                       | g   |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.506.004P</b> | For caps 084.506.004T - Per tappi 084.506.004T<br>- Para tapas 084.506.004T - Pour embouts<br>084.506.004T - Für Abdeckkappen 084.506.004T | 830 |

**Anodised aluminium**


Alluminio anodizzato  
Aluminio anodizado  
Aluminium anodisé  
Eloxiertes Aluminium  
**L=6040 mm**

**Natural colour**

Colore naturale  
Color natural  
Couleur naturelle  
Natürliche Farbe

**HANDLE CAPS**


TAPPI MANIGLIA  
TAPAS MANEJAR  
EMBOUTS POIGNEE  
ABDECKKAPPEN FÜR GRIFF



| Cod                 | Note                                                                                                                                                                                                                    | g  |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.004T</b> | Pair of caps for profile 084.506.004P - Coppia<br>tappi per profilo 084.506.004P - Par de tapas<br>para el perfil 084.506.004P - Paire de bouchons<br>pour profil 084.506.004P - Paar Kappen für Profil<br>084.506.004P | 20 |

**Black polyamide**


Poliammide nero  
Poliamida negra  
Polyamide noir  
Schwarzes Polyamid





### TUBULAR HANDLE


MANIGLIA A TUBO  
ASIDERO DE TUBO  
POIGNÉE À TUBE  
ROHRGRIFF



| Cod                 | Note                                                                                                            | g  |
|---------------------|-----------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.007N</b> | Ø15 mm anodised tube - Tubo anodizzato Ø15<br>- Tubo anodizado Ø15 - Tube anodisé Ø 15 -<br>Eloxiertes Rohr Ø15 | 65 |


#### Anodised aluminium and black polyamide

Alluminio Anodizzato e poliammide nero  
Aluminio anodizado y poliamida color negro  
Aluminium anodisé et polyamide noir  
Eloxiertes Aluminium und Polyamid grau



### TUBULAR HANDLE


MANIGLIA A TUBO  
ASIDERO DE TUBO  
POIGNÉE À TUBE  
ROHRGRIFF



| Cod                  | Note                                                                                                                   | g  |
|----------------------|------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.007NR</b> | Ø15 mm rubberised tube - Tubo gommato Ø15<br>- Tubo engomado Ø15 - Tube caoutchouté Ø 15 -<br>Kautschutiertes Rohr Ø15 | 65 |


#### Anodised aluminium and black polyamide

Alluminio Anodizzato e poliammide nero  
Aluminio anodizado y poliamida color negro  
Aluminium anodisé et polyamide noir  
Eloxiertes Aluminium und Polyamid grau



**TUBULAR HANDLE**


MANIGLIA A TUBO  
ASIDERO DE TUBO  
POIGNÉE À TUBE  
ROHRGRIFF




| Cod                 | Note                                                                                                            | g  |
|---------------------|-----------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.007G</b> | Ø15 mm anodised tube - Tubo anodizzato Ø15<br>- Tubo anodizado Ø15 - Tube anodisé Ø 15 -<br>Eloxiertes Rohr Ø15 | 65 |

**Anodised aluminium and grey polyamide**

Alluminio Anodizzato e poliammide grigio  
Aluminio anodizado y poliamida color gris  
Aluminium anodisé et polyamide gris  
Eloxiertes Aluminium und graues Polyamid

**TUBULAR HANDLE**


MANIGLIA A TUBO  
ASIDERO DE TUBO  
POIGNÉE À TUBE  
ROHRGRIFF



| Cod                  | Note                                                                                                                  | g  |
|----------------------|-----------------------------------------------------------------------------------------------------------------------|----|
| <b>084.506.007GR</b> | Ø15 mm rubberised tube - Tubo gommato Ø15<br>- Tubo engomado Ø15 - Tube caoutchouté Ø15 -<br>Kautschutiertes Rohr Ø15 | 65 |

**Anodised aluminium and grey polyamide**



Alluminio Anodizzato e poliammide grigio  
Aluminio anodizado y poliamida color gris  
Aluminium anodisé et polyamide gris  
Eloxiertes Aluminium und graues Polyamid





## DOOR LEAF CLOSURE


SCROCCHETTO CHIUDI ANTA  
CIERRE  
LOQUET FERMETURE BATTANT  
TÜRVERSCHLUSS



| Cod                | Note                                                                                                                                                                                                                                                   | g  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.517.001</b> | 1 RH + 1 LH complete with self-tapping screws - 1 Dx + 1 Sx completo di viti autofilettanti - 1 dcho. + 1 izdo., incluye tornillos autorroscantes - 1 droit + 1 gauche doté de vis taraudeuses - 1 Re + 1 Li einschließlich gewindeformender Schrauben | 34 |



### Black polyamide

Poliammide nero  
Poliamida negra  
Polyamide noir  
Schwarzes Polyamid



## SPRING CLOSURE


SCROCCHETTO A MOLLA  
CIERRE DE RESORTE  
LOQUET À RESSORT  
FEDERVERSCHLUSS



| Cod                | Note                                                                                                                                                                      | g  |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.518.002</b> | Complete with self-tapping screws - Completo viti autofilettanti - Incluye tornillos autorroscantes - Doté de vis taraudeuses - Einschließlich gewindeformender Schrauben | 33 |

### Black polyamide


Poliammide nero  
Poliamida negra  
Polyamide noir  
Schwarzes Polyamid





**LOCK WITH KEY**

SERRATURA A CHIAVE  
CERRADURA DE LLAVE  
SERRURE À CLÉ  
SCHLÜSSELSCHLOSS

| Cod                | Note                                                                                            | g   |
|--------------------|-------------------------------------------------------------------------------------------------|-----|
| <b>084.519.001</b> | Complete with key - Completo di chiave - Incluye llave - Doté de clé - Einschließlich Schlüssel | 190 |


**Galvanised steel**

Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl



**DOOR CLOSURE CLIPS**

CLIPS FERMAPORTE  
CLIPS DE TOPE DE PUERTAS  
CLIPS DE FERMETURE PORTES  
TÜRSTOPPERCLIPS

| Cod                | Note                                                                                                                                         | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.519.002</b> | Complete with strike plate - Completo di piastrina di appoggio - Incluye placa de apoyo - Doté de plaque d'appui - Einschließlich Tragplatte | 39 |

**Brass**



Ottone  
Latón  
Laiton  
Messing





### MAGNET DOOR CLOSER


FERMAPORTE A CALAMITA  
TOPE CON IMÁN  
FERMETURE PORTES À AIMANT  
MAGNETISCHER TÜRSTOPPER



| Cod                | Note                                                                                                                                                                                               | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.525.001</b> | Complete with strike plate and magnet - Completo di piastrina di appoggio e magnete - Incluye placa de apoyo e imán - Doté de plaquette d'appui et d'aimant - Einschließlich Tragplatte und Magnet | 37 |


### Reinforced polyamide

Poliammide rinforzata  
Poliamida reforzada  
Polyamide renforcé  
Verstärktes Polyamid



### DOOR CLOSER


FERMAPORTE  
TOPE DE PUERTA  
FERMETURE PORTES  
TÜRSTOPPER



| Cod                | Note                                                                                | g  |
|--------------------|-------------------------------------------------------------------------------------|----|
| <b>084.522.001</b> | For M18 magnet - Per magnete M18 - Para imán M18 - Pour aimant M18 - Für Magnet M18 | 27 |


### Grey polyamide

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau



**DOOR CLOSER**


FERMAPORTE  
TOPE DE PUERTA  
FERMETURE PORTES  
TÜRSTOPPER





| Cod                | Note                                                                                | g  |
|--------------------|-------------------------------------------------------------------------------------|----|
| <b>084.522.003</b> | For M18 magnet - Per magnete M18 - Para imán M18 - Pour aimant M18 - Für Magnet M18 | 12 |

**Black polyamide**

Poliammide nero  
Poliamida color negro  
Polyamide noir  
Polyamid schwarz

**MAGNET**


MAGNETE  
IMÁN  
AIMANT  
MAGNET



| Cod                | Note                                                                                                                       | g  |
|--------------------|----------------------------------------------------------------------------------------------------------------------------|----|
| <b>084.523.001</b> | Attractive force 50 N - Forza di attrazione 50 N - Fuerza de atracción 50 N - Force attractive 50 N - Anziehungskraft 50 N | 52 |

**Zinc plated steel**



Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl





### DOOR CLOSER WITH MAGNET


FERMAPORTE CON MAGNETE  
TOPE DE PUERTA CON IMÁN  
FERMETURE PORTES À AIMANT  
TÜRSTOPPER MIT MAGNET



| Cod                | Note                                                                                                 | g  |
|--------------------|------------------------------------------------------------------------------------------------------|----|
| <b>084.524.001</b> | Complete with magnet - Completo di magnete<br>- Incluye imán - Doté d'aimant - Einschließlich Magnet | 70 |


### Sandblasted aluminium

Alluminio sabbiato  
Aluminio arenado  
Aluminium sablé  
Sandgestrahltes Aluminium



### CLIPS HOOKING


AGGANCIO A CLIPS  
ACOPLAMIENTO CON CLIPS  
ACCROCHAGE AVEC CLIPS  
CLIP BEFESTIGUNG



| Cod                | Note                                                                             | g |
|--------------------|----------------------------------------------------------------------------------|---|
| <b>084.523.003</b> | Stop pin - Perno di riscontro - Perno de guía -<br>Goupille de butée - Klemmnuss | 5 |

### Zinc plated steel



Acciaio zincato  
Acero galvanizado  
Acier zingué  
Verzinkter Stahl




**CLIPS HOOKING**

AGGANCIO A CLIPS  
ACOPLAMIENTO CON CLIPS  
ACCROCHAGE AVEC CLIPS  
CLIP BEFESTIGUNG

| Cod                | Note  | g |
|--------------------|-------|---|
| <b>084.523.002</b> | Clips | 4 |


**Thermoplastic rubber**

Gomma termoplastica  
Goma termoplástica  
Caoutchouc thermoplastique  
Thermoplastischer Gummi

**CABLE CLIP**

BLOCCHETTO FERMACAVI  
BLOQUE OCULTA-CABLES  
EMBASE  
KABELHALTERBLOCK

| Cod                | Note                                                                                                                                                                                                                      | g |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>084.510.013</b> | Fastening with M5 screws, not included - Fissaggio con viti M5 non incluse - Fijación con tornillos M5, no incluidos - Fixation avec vis M5 non fournies - Befestigung mit Schrauben M5 (nicht im Lieferumfang enthalten) | 2 |

**Grey polyamide**

Poliammide grigio  
Poliamida color gris  
Polyamide gris  
Polyamid grau





### STRUCTURAL ADHESIVE

ADESIVO STRUTTURALE  
PEGAMENTO ESTRUCTURAL  
COLLE STRUCTURALE EPOXY  
KONSTRUKTIONSKLEBSTOFF



DESIGNED FOR  
**CARBON**

| Cod                | Note                                                                                                                                                                                                                                                                                                                  | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.818.007</b> | High-strength structural adhesive for brass and carbon - Adesivo strutturale ad alta resistenza per ottone e carbonio - Pegamento estructural de alta resistencia para latón y carbono - Colle strutturale epoxy à haute résistance pour laiton et carbone - Hochfester Konstruktionsklebstoff für Messing und Carbon | 60 |

### NOZZLE FOR ADHESIVE

UGELLO ADESIVO  
BOQUILLA PARA PEGAMENTO  
EMBOUT POUR COLLE  
DÜSE FÜR KLEBSTOFF



DESIGNED FOR  
**CARBON**

| Cod                | Note                                                                                                                                 | g  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.818.008</b> | For structural adhesive - Per adesivo strutturale - Para pegamento estructural - Pour colle structurale - Für Konstruktionsklebstoff | 12 |

**MANUAL DISPENSER**

APPLICATORE MANUALE  
DISPENSADOR MANUAL  
DISTRIBUTEUR MANUEL  
HAND DISPENSER



| Cod                | Note                                                                                                                                 | g  |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.818.033</b> | For structural adhesive - Per adesivo strutturale - Para pegamento estructural - Pour colle structurale - Für Konstruktionsklebstoff | 70 |

**SET OF ALLEN KEYS**

SET DI CHIAVI ESAGONALI  
SET DE LLAVES HEXAGONALES  
JEU DE CLÉS ALLEN  
SECHSKANTSCHLÜSSELSET



| Cod                | Note                                                                                                                  | g   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|-----|
| <b>084.818.010</b> | Set of 2.5 - 6 mm wrenches - Set di chiavi 2,5 - 6 - Set de llaves 2,5-6 - Jeu de clés 2,5 - 6 - Schlüsselset 2,5 - 6 | 700 |



### MILLING BIT 10X20

FRESA CILINDRICA 10X20  
FRESA 10X20  
FRAISE LIME 10X20  
FRÄSSTIFT 10X20

| Cod                | Note                                                                                                                                                                                                | g  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>115.818.003</b> | For structural profiles reaming - Per alesare i profili strutturali - Para escariar los perfiles estructurales - Pour aléser les profilés structurelles - Für das Reiben von strukturellen Profilen | 80 |




### DRILLING TEMPLATE

MASCHERA FORATURA  
PLANTILLA DE TALADRADO  
GARBARIT DE PERÇAGE  
BOHRMASKE

AC  
8  
45

| Cod                | Note                                                                                                       | g   |
|--------------------|------------------------------------------------------------------------------------------------------------|-----|
| <b>115.818.034</b> | Complete with bushings - Completa di boccole - Incluye casquillos - Avec douilles - Einschließlich Buchsen | 210 |



### Aluminium

Alluminio  
Aluminio  
Aluminium  
Aluminium

