


**45x45****CARBON**AC
8
45

Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
115.101.001	10,24	10,24	4,55	4,55	599,3	0,96

Carbon fiber composite

Composito di carbonio


Compuesto reforzado con fibra de carbono

Composite en fibre de carbone


Kohlenstofffaserverstärkter Kunststoff

L=6000 mm

Cap - Tappo - Tapòn - Embout - Abdeck



Cod	Mat	g	Col
115.201.001	PA	8	■

45x45AC
8
45

Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.001	9,68	9,68	4,30	4,30	627	1,70

Anodised aluminium

Alluminio anodizzato

Aluminio anodizado

Aluminium anodisé

Eloxiertes Aluminium

L=6040 mm**Natural colour**


Colore naturale

Color natural

Couleur naturelle

Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck




Cod	Mat	g	Col
800.029.109	PA	7	■
800.029.109G	PA	7	■



45x45

AC
8
45



Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.009	7,52	7,52	3,43	3,43	434	1,17


Anodised aluminium
Alluminio anodizzato
Aluminio anodizado
Aluminium anodisé
Eloxiertes Aluminium
L=6040 mm

Natural colour
Colore naturale
Color natural
Couleur naturelle
Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck			
Cod	Mat	g	Col
800.029.109	PA	7	■
800.029.109G	PA	7	■

45x45

AC
8
45



Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.010	9,14	8,22	4,06	3,65	502,04	1,35

Anodised aluminium
Alluminio anodizzato
Aluminio anodizado
Aluminium anodisé
Eloxiertes Aluminium
L=6040 mm

Natural colour
Colore naturale
Color natural
Couleur naturelle
Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck			
Cod	Mat	g	Col
800.029.109	PA	7	■
800.029.109G	PA	7	■



45x90

CARBON

AC
8
45



Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
115.101.002	21,71	80,62	9,65	17,92	1042	1,97

Carbon fiber composite


Composito di carbonio

Compuesto reforzado con fibra de carbono

Composite en fibre de carbone

Kohlenstofffaserverstärkter Kunststoff

L=6000 mm






Cap - Tappo - Tapòn - Embout - Abdeck			
Cod	Mat	g	Col
115.201.002	PA	15	■ ■

OPTIONS OF ADDING THREADED HOLES
 POSSIBILITÀ DI REALIZZARE FORI FILETTATI
 POSIBILIDAD DE REALIZAR AGUJEROS ROSCADOS
 POSSIBILITÉ DE RÉALISER DES TROUS TARAUDÉS
 MÖGLICHKEIT BOHRUNGEN MIT GEWINDE DURCHZUFÜHREN

PRE-HOLE
 PREFORO
 PRE-AGUJERO
 PRÉ PERÇAGE
 VORBOHRUNG



THREAD
 FILETTATURA
 ROSCA
 FILETAGE
 GEWINDE

PRE-HOLE SIZES
 QUOTE PREFORO
 TAMAÑO DE LOS PRE-AGUJEROS
 DIMENSIONS DU PRÉ PERÇAGE
 MAÛE DER VORBOHRUNG



45x90


AC
8
45



Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.002	21,42	82,51	9,52	18,33	1127	3,05



Anodised aluminium
Alluminio anodizzato
Aluminio anodizado
Aluminium anodisé
Eloxiertes Aluminium
L=6040 mm

Natural colour
Colore naturale
Color natural
Couleur naturelle
Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck			
			
Cod	Mat	g	Col
800.029.110	PA	12	■
800.029.110G	PA	12	■

45x90


AC
8
45



Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.011	74,41	18,82	16,53	8,36	956,98	2,58

Anodised aluminium
Alluminio anodizzato
Aluminio anodizado
Aluminium anodisé
Eloxiertes Aluminium
L=6040 mm


Natural colour
Colore naturale
Color natural
Couleur naturelle
Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck			
			
Cod	Mat	g	Col
800.029.110	PA	12	■
800.029.110G	PA	12	■



90x90

CARBON

AC
8
45

Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
115.101.003	145,8	145,8	32,4	32,4	1561	3,01

Carbon fiber composite

Composito di carbonio

Compuesto reforzado con fibra de carbono

Composite en fibre de carbone

Kohlenstofffaserverstärkter Kunststoff

L=6000 mm

Cap - Tappo - Tapòn - Embout - Abdeck



Cod	Mat	g	Col
115.201.003	PA	15	■ ■

OPTIONS OF ADDING THREADED HOLES

POSSIBILITÀ DI REALIZZARE FORI FILETTATI
 POSIBILIDAD DE REALIZAR AGUJEROS ROSCADOS
 POSSIBILITÉ DE RÉALISER DES TROUS TARAUDÉS
 MÖGLICHKEIT BOHRUNGEN MIT GEWINDE DURCHZUFÜHREN

PRE-HOLE




PREFORO
 PRE-AGUJERO
 PRÉ PERÇAGE
 VORBOHRUNG

THREAD

FILETTATURA
 ROSCA
 FILETAGE
 GEWINDE



PRE-HOLE SIZES

QUOTE PREFORO
 TAMAÑO DE LOS PRE-AGUJEROS
 DIMENSIONS DU PRÉ PERÇAGE
 MAßE DER VORBOHRUNG





90x90

AC
8
45

Cod	lx cm ⁴	ly cm ⁴	wx cm ³	wy cm ³	mm ²	Kg/m
800.029.012	155,02	155,02	34,44	34,44	1766,58	4,77

Anodised aluminium

Alluminio anodizzato
Aluminio anodizado
Aluminium anodisé
Eloxiertes Aluminium

L=6040 mm**Natural colour**

Colore naturale
Color natural
Couleur naturelle
Natürliche Farbe

Cap - Tappo - Tapòn - Embout - Abdeck



Cod	Mat	g	Col
800.029.138	PA	20	■
800.029.138G	PA	20	■